ANCHOR
by Panasonic

PENTA
MODULAR

MAKE A CHOICE WHICH MAKES AN IMPRESSION

PRICELIST: FEB 2021

16A,20A,25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.

SWITCHES

Code	Description	HSN	MRP	PKG
65001	6AX, 1 Way Switch, 1M	8536	34	20
65002	6AX, 2 Way Switch, 1M	8536	71	20
65003	6A, Bell Push, 1M	8536	73	20
65066	6A, Bell Push with Neon, 2M	8536	102	10
65007	16AX, 1 Way Switch, 1M	8536	86	10
65008	16AX,2 Way Switch,1M	8536	112	10
65010	16AX, 2WaySwitch, 2M	8536	134	10
65077	16AX, 1 Way Switch with Neon, 1M	8536	95	10
65025	25A, SP 1 Way Switch with Neon, 1M	8536	123	10
65032	32A, DP 1 Way Switch with Neon, 2M	8536	169	10

SOCKET

65201	6A, Uro 2 Pin Socket, 1M	8536	75	10
65207	2 Pin Round Socket (with Shutter),6A, 240V~ ISI	8536	75	10
65202	6A, 2in1 Socket (w/o Shutter), 2M	8536	94	10
65222	6A, 2 in 1 Socket (with Shutter), 2M	8536	98	10
65203	6A, 3Pin Socket, 2M ISI	8536	89	10
65208	6A, 3 Pin Round Socket (w/o Shutter), ISI	8536	94	10
65204	16A, 3pin Socket, 2M ISI	8536	153	10
65205	6/16A, Twin Socket, 2M ISI	8536	146	10
65266	6/16A, Twin Socket, 2M ISI	8536	162	10
65206	6/10/13A, Combi Socket For All Pins, 2M	8536	153	10

SUPPORT FUNCTION

65503	Blank Plate, 1M	8538	20	50
65504	Neon Indicator, Red, 1M	8536	69	20
65508	6A Resettable Fuse Unit,240V~ , 1M	8536	110	20
65509	16A Resettable Fuse Unit,240V~ , 1M	8536	131	20
65505	USB Charger - 1000mA 5V DC, 1M	8536	758	20
65506	USB Charger , 2 Port , 2.5A 5V , 2M (CRS Certified)	8536	1325	10
65710	Buzzer, 2M	8536	137	10
65611	USB Charger - 2100mA 5V DC, 1M (CRS Certified)	8536	798	10

SUPPORT FUNCTION

65120	20A, Motor Starter Switch, 2M	8536	327	10
65125	25A, Motor Starter Switch, 2M	8536	327	10

COMMUNICATION AND DATA SOCKET

65501	Cord Outlet, 1M	8536	62	20
65502	TV Socket outlet, 1M	8536	82	20
65610	RJ11, Tel Jack with Shutter, 1M	8536	88	20
65620	RJ45, Receptor, 1M	8536	136	20
65621	RJ45, Computer Jack, Cat5e, 1M	8536	417	10
65622	RJ45, Computer Jack, Cat6, 1M	8536	506	10

WHITE

FOOT LIGHT

Code	Description	HSN	MRP	PKG
65705	FootLight LED Based with 3M Plate (Cool Day Light) 230V~ 50Hz	9405	433	6
65706	FootLight LED Based with 3M Plate (Warm White Light) 230V~ 50Hz	9405	433	6
65705-C	FootLight LED Based with 3M GINA Plate (Cool Day Light) 230V~ 50Hz	9405	461	6
65706-C	FootLight LED Based with 3M GINA Plate (Warm White Light) 230V~ 50Hz	9405	461	6
65711	Emergency LED Light Unit	9405	630	6
65711-C	Emergency LED Light Unit with 3M Gina Plate	9405	762	6

FAN REGULATOR

65301	100W, Tiny Fan Regulator, 1M	8414	264	20
65302	100W, Dura Fan Regulator, 2M	8414	313	10
65303	100W, High speed fan regulator, 2M	8414	349	10
65322	100W, Dura Fan Regulator,2M ISI	8414	331	10

Ideal for controlling Fan Motors (inductive Loads)

DIMMER

65401	450W, Tiny Dimmer, 1M	8543	250	20
65402	650W, Dura Dimmer, 2M	8543	328	10
65557	150W, LED Dimmer ,2M	8543	1131	10

Ideal for controlling Incandescent bulbs and Halogen Bulbs (Resistive Loads)

HOSPITALITY RANGE

65701	32A, DP Switch unit with keytag, 2M	8536	583	5
65702	Only Keytag with Ring	8536	100	10
65703	20A, Keycard Unit with 30sec delay with 3M Plate, 240V~ (Without Card)	8536	1924	6
65703-C	20A, Keycard Unit with 30sec delay with 3M GINA Plate, 240V~ (Without Card)	8536	1952	6
65707	20A, Shaver Socket with 4M Plate 240V~	8538	2030	6
65707-C	20A, Shaver Socket with 4M GINA Plate 240V~	8538	2069	6
65708	DND MMR Internal Unit, 2M	8536	411	6
65709	DND MMR External Unit, 3M	8536	615	6

UNO MINI MODULAR MCB

65980	6A SP 'C' Mini MCB	8536	238	12
65981	10A SP 'C' Mini MCB	8536	238	12
65982	16A SP 'C' Mini MCB	8536	238	12
65983	20A SP 'C' Mini MCB	8536	238	12
65984	25A SP 'C' Mini MCB	8536	238	12
65985	32A SP 'C' Mini MCB	8536	238	12
65989	6A DP 'C' Mini MCB	8536	480	6
65990	10A DP 'C' Mini MCB	8536	480	6
65991	16A DP 'C' Mini MCB	8536	480	6
65992	20A DP 'C' Mini MCB	8536	480	6
65993	25A DP 'C' Mini MCB	8536	480	6
65994	32A DP 'C' Mini MCB	8536	480	6

REGULAR PLATES

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65901	65902	65903	65904	65906	65908	65988	65912	65916	65918
MRP	63	63	87	98	142	185	185	222	236	250
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	20	20	20	20	10	10	5	5	5	5

GINA PLATES

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65801	65802	65803	65804	65806	65808	65888	65812	65816	65818
MRP	71	71	103	110	166	215	215	259	273	292
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	20	20	20	20	10	10	5	5	5	5

DESIGNER (COLOR PLATES) - FRENCH FUCHSIA

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65901FF	65902FF	65903FF	65904FF	65906FF	65908FF	65988FF	65912FF	65916FF	65918FF
MRP	65	65	88	100	145	186	186	224	238	253
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	5	5	5	5	5	5	5	5	5	5

DESIGNER (COLOR PLATES) - PASTEL GREEN

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65901PG	65902PG	65903PG	65904PG	65906PG	65908PG	65988PG	65912PG	65916PG	65918PG
MRP	65	65	88	100	145	186	186	224	238	253
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	5	5	5	5	5	5	5	5	5	5

DESIGNER (COLOR PLATES) - MISTY OCEAN

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65901MO	65902MO	65903MO	65904MO	65906MO	65908MO	65988MO	65912MO	65916MO	65918MO
MRP	65	65	88	100	145	186	186	224	238	253
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	5	5	5	5	5	5	5	5	5	5



DESIGNER (COLOR PLATES) - BASALT GREY

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65901BG	65902BG	65903BG	65904BG	65906BG	65908BG	65988BG	65912BG	65916BG	65918BG
MRP	65	65	88	100	145	186	186	224	238	253
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	5	5	5	5	5	5	5	5	5	5



EXIIMA PLATES - GOLDEN PECAN

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65901WGP	65902WGP	65903WGP	65904WGP	65906WGP	65908WGP	65988WGP	65912WGP	65916WGP	65918WGP
MRP	137	137	191	213	316	412	412	501	530	562
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	5	5	5	5	5	5	5	5	5	5

EXIIMA PLATES - CHOCOLATE HARDWOOD

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65901WCH	65902WCH	65903WCH	65904WCH	65906WCH	65908WCH	65988WCH	65912WCH	65916WCH	65918WCH
MRP	137	137	191	213	316	412	412	501	530	562
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	5	5	5	5	5	5	5	5	5	5

EXIIMA PLATES - BLACK EBONY

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65901WBE	65902WBE	65903WBE	65904WBE	65906WBE	65908WBE	65988WBE	65912WBE	65916WBE	65918WBE
MRP	137	137	191	213	316	412	412	501	530	562
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	5	5	5	5	5	5	5	5	5	5



REGULAR PLATES - BLACK

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65901B	65902B	65903B	65904B	65906B	65908B	65988B	65912B	65916B	65918B
MRP	78	78	108	120	176	229	229	277	294	311
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	20	20	20	20	10	10	5	5	5	5



GINA PLATES - BLACK

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Vertical	12 Module	16 Module	18 Module
Code	65801B	65802B	65803B	65804B	65806B	65808B	65888B	65812B	65816B	65818B
MRP	92	92	127	142	211	274	274	334	352	373
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	20	20	20	20	10	10	5	5	5	5

PLATES SUITABLE FOR WOODEN BOXES...

MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Square	8 Module Horizontal	10 Module Horizontal	12 Module Square	12 Module Horizontal	16 Module	18 Module	20 Module
Code	65551	65552	65553	65554	65556	65588	65558	65560	65512	65562	65516	65518	65520
MRP	75	75	106	118	174	225	225	228	274	250	290	307	340
HSN Code	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538	8538
PKG	20	20	20	20	10	10	10	10	5	10	5	5	5
Dimensions (In Inches)	4.5 X 4.5	4.5 X 4.5	5.0 X 4.5	6.5 X 4.5	8.5 X 4.5	6.5 X 6.5	10.6 X 4.5	12.7 X 4.5	8.5 X 6.5	12.7 X 4.5	10.5 X 6.5	10.5 X 8.5	12.7 X 8.5

65001B 65002B 65003B 65066B

65007B 65008B 65010B 65077B 65025B 65032B

65201B 65207B 65202B 65222B

65203B / 65208B 65204B 65205B/65266B 65206B

65503B 65504B 65508B 65509B 65505B 65506B 65611B 65710B

65120B 65125B

65501B 65502B 65610B 65620B 65621B 65622B

16A,20A,25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.

SWITCHES

Code	Description	HSN	MRP	PKG
65001B	6AX, 1 Way Switch, 1M	8536	41	20
65002B	6AX, 2 Way Switch, 1M	8536	85	20
65003B	6A, Bell Push, 1M	8536	86	20
65066B	6A, Bell Push with Neon, 2M	8536	123	10
65007B	16AX, 1 Way Switch, 1M	8536	104	10
65008B	16AX,2 Way Switch,1M	8536	134	10
65010B	16AX, 2WaySwitch, 2M	8536	163	10
65077B	16AX, 1 Way Switch with Neon, 1M	8536	115	10
65025B	25A, SP 1 Way Switch with Neon, 1M	8536	146	10
65032B	32A, DP 1 Way Switch with Neon, 2M	8536	202	10

SOCKET

65201B	6A, Uro 2 Pin Socket, 1M	8536	89	10
65207B	2 Pin Round Socket (with Shutter),6A, 240V~ ISI	8536	89	10
65202B	6A, 2in1 Socket (w/o Shutter), 2M	8536	111	10
65222B	6A, 2 in 1 Socket (with Shutter), 2M	8536	120	10
65203B	6A, 3Pin Socket, 2M ISI	8536	108	10
65208B	6A, 3 Pin Round Socket (w/o Shutter), ISI	8536	111	10
65204B	16A, 3pin Socket, 2M ISI	8536	185	10
65205B	6/16A, Twin Socket, 2M ISI	8536	180	10
65266B	6/16A, Twin Socket, 2M ISI	8536	199	10
65206B	6/10/13A, Combi Socket For All Pins, 2M	8536	185	10

SUPPORT FUNCTION

65503B	Blank Plate, 1M	8536	25	50
65504B	Neon Indicator, Red, 1M	8536	82	20
65508B	6A Resettable Fuse Unit,240V~ , 1M	8536	133	20
65509B	16A Resettable Fuse Unit,240V~ , 1M	8536	159	20
65505B	USB Charger - 1000mA 5V DC, 1M	8536	835	20
65506B	USB Charger , 2 Port , 2.5A 5V , 1M (CRS Certified)	8536	1392	10
65710B	Buzzer, 2M	8536	166	10
65611B	USB Charger - 2100mA 5V DC, 1M (CRS Certified)	8536	882	10

SUPPORT FUNCTION

65120B	20A, Motor Starter Switch, 2M	8536	358	10
65125B	25A, Motor Starter Switch, 2M	8536	358	10

COMMUNICATION AND DATA SOCKET

65501B	Cord Outlet, 1M	8536	76	20
65502B	TV Socket outlet, 1M	8536	98	20
65610B	RJ11, Tel Jack with Shutter, 1M	8536	105	20
65620B	RJ45, Receptor, 1M	8536	163	20
65621B	RJ45, Computer Jack, Cat5e, 1M	8536	503	10
65622B	RJ45, Computer Jack, Cat6, 1M	8536	609	10

65705B / 65706B / 65711B

65705B-C / 65706B-C / 65711B-C

65301B 65302B 65303B 65322B



65401B 65402B / 65557B

65701B 65702B 65703B 65703B-C

65707B 65707B-C

65708B 65709B

3kA

IS / IEC 60898-1

CM / L-8653085

3kA

IS / IEC 60898-1

CM / L-8653085

FOOT LIGHT

Code	Description	HSN	MRP	PKG
65705B	FootLight LED Based with 3M Plate (Cool Day Light) 230V~ 50Hz	9405	523	6
65706B	FootLight LED Based with 3M Plate (Warm White Light) 230V~ 50Hz	9405	523	6
65705B-C	FootLight LED Based with 3M GINA Plate (Cool Day Light) 230V~ 50Hz	9405	558	6
65706B-C	FootLight LED Based with 3M GINA Plate (Warm White Light) 230V~ 50Hz	9405	558	6
65711B	Emergency LED Light Unit	9405	671	6
65711B-C	Emergency LED Light Unit with 3M Gina Plate	9405	814	6

FAN REGULATOR

65301B	100W, Tiny Fan Regulator, 1M	8414	330	20
65302B	100W, Dura Fan Regulator, 2M	8414	383	10
65303B	100W, High speed fan regulator, 2M	8414	419	10
65322B	100W, Dura Fan Regulator,2M ISI	8414	398	10

Ideal for controlling Fan Motors (inductive Loads)

DIMMER

65401B	450W, Tiny Dimmer, 1M	8543	311	20
65402B	650W, Dura Dimmer, 2M	8543	383	10
65557B	150W, LED Dimmer ,2M	8543	1188	10

Ideal for controlling Incandescent bulbs and Halogen Bulbs (Resistive Loads)

HOSPITALITY RANGE

65701B	32A, DP Switch unit with keytag, 2M	8536	698	5
65702B	Only Keytag with Ring	8536	119	10
65703B	20A, Keycard Unit with 30sec delay with 3M Plate, 240V~ (Without Card)	8536	2310	6
65703B-C	20A, Keycard Unit with 30sec delay with 3M GINA Plate, 240V~ (Without Card)	8536	2343	6
65707B	20A, Shaver Socket with 4M Plate 240V~	8538	2436	6
65707B-C	20A, Shaver Socket with 4M GINA Plate 240V~	8538	2490	6
65708B	DND MMR Internal Unit, 2M	8536	492	6
65709B	DND MMR External Unit, 3M	8536	737	6

UNO MINI MODULAR MCB

65980GB	6A SP 'C' Mini MCB	8536	259	12
65981GB	10A SP 'C' Mini MCB	8536	259	12
65982GB	16A SP 'C' Mini MCB	8536	259	12
65983GB	20A SP 'C' Mini MCB	8536	259	12
65984GB	25A SP 'C' Mini MCB	8536	259	12
65985GB	32A SP 'C' Mini MCB	8536	259	12
65989GB	6A DP 'C' Mini MCB	8536	520	6
65990GB	10A DP 'C' Mini MCB	8536	520	6
65991GB	16A DP 'C' Mini MCB	8536	520	6
65992GB	20A DP 'C' Mini MCB	8536	520	6
65993GB	25A DP 'C' Mini MCB	8536	520	6
65994GB	32A DP 'C' Mini MCB	8536	520	6

ANCHOR
by Panasonic

TERMS AND CONDITIONS

1) All prices are subject to the general terms and conditions of our business.
2) MRP is including all Taxes.
3) Prices are subject to change without prior notice.
4) This price list supersedes all our previous price lists.
5) If any dispute should arise it will be subject to Thane jurisdiction.
6) Company reserves the right to issue amendments which may arise due to any errors in the price list.

Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some aspects from the details provided herein.

PANASONIC LIFE SOLUTIONS INDIA PVT LTD.

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus, Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.
Tel 022 4222 8888 | Fax 022 4222 8884
Customer Care no.: 022-41304130 | WhatsApp: 9136028606
Email: wecare@in.panasonic.com | www.lsin.panasonic.com

Registered Office: 12th Floor, Ambience Tower, Ambience Island, NH-48, Gurugram - 122 002, Haryana.

Dealer Stamp

www.facebook.com/AnchorPanasonic www.twitter.com/AnchorPanasonic https://in.linkedin.com/company/anchor-panasonic www.instagram.com/anchorpanasonic/