dowell's®

POLYCAB
IDEAS. CONNECTED.

# SYMBOL OF QUALITY

Pioneers in Solderless Terminals,
Crimping Tools & Cable Glands

House of Designers & Makers of Terminals,
Tools & Cable Glands Since 1961

**National Price List June, 2024**

dowell's®

POLYCAB
IDEAS. CONNECTED.

PRICE LIST

CONTENTS


| | |
|---|---|
| ABOUT DOWELL'S | 1 |
| DOWELL'S PRODUCT CATEGORY | 2 |
| CONNECTORS FOR 2C, 3C, 3.5C, 4C SECTOR SHAPED CONDUCTORS | 3 - 7 |
| Copper Sector Lugs - Long Barrel | 5 |
| Copper Sector Lugs - Long Barrel | 6 |
| Copper & Aluminium connectors | 6 |
| Aluminium Sector Lugs- Long Barrel | 7 |
| Aluminium Sector Lugs- Short Barrel | 7 |
| COPPER SERIES | 8 - 11 |
| Copper Tube Terminals Medium Duty | 8 |
| Copper Tube Terminals Heavy Duty Long Barrel | 8 |
| Copper Tube Terminals Heavy Duty BS 4579 | 8 |
| Copper Tube Terminals Extended Palm ( Blank) | 8 |
| Copper Reducer Terminals | |
| Copper Tublar Terminals Long Barrel | 9 |
| Copper Tube Terminals Heavy Duty In- line Connectors | 9 |
| Copper Tube Terminals Heavy Duty In- line Connectors | 9 |
| Copper DIN Type Terminals | 10 |
| Copper Tube Terminals ICF Series | 10 |
| Copper Tube Light Duty In- line Connectors | 10 |
| ALUMINIUM SERIES | 11 - 12 |
| Aluminium Tube Terminals | 11 |
| Aluminium Tube Terminals Long Barrel | 11 |
| Aluminium Terminals for Al. XLPE Condctors | 11 |
| Aluminium Tube Terminals Two Holes | 11 |
| Aluminium Reducer Terminals | 12 |
| Aluminium In- line Connectors | 12 |
| Aluminium In- line Connectors for Al. XLPE Condctors | 12 |
| BI-METTALIC SERIES | 13 |
| Bi-Mettalic Connectors ( Friction Welded) | 13 |
| Bi-Mettalic Terminals ( Friction Welded) | 13 |
| Aluminium Alloy Tublar Bi-Mettalic Terminals | 13 |

PRICE LIST

CONTENTS

COPPER RING, PIN & FORK TERMINALS 14 - 16

Pin Terminals non- insulated 14
Pin Terminals Double Grip ( Pre -insulated ) 14
Pin Terminals Double Grip ( Pre -insulated ) 14
End Sealing Ferrules non- insulated 14
Non- insulated Ring Terminals 14
Ring Terminals insulated 15
Ring Terminals Double Grip ( Pre -insulated ) 15
Fork Terminals non- insulated 15
Fork Terminals Insulated 15
Fork Terminals Pre- insulated 15
Snap on Terminals 15
End Sealing Ferrules Insulated 16
Copper Twin Type Lugs 16

COPPER GLANDS 17- 20

Double Compression Armoured weather and Frame Proof Brass Cable Glands 17
DC Type Medium Duty Armoured Brass Cable Glands 18
Double Compression Un- Armoured Brass Cable Glands 18
Single Compression & SIBG Brass Cable Glands 19
Brass PG Gland 19
Nylon PG Gland 19
Flange Type Cable Glands 19
Earth Tag & LSF/ LSZH Shroud 20

TOOLS & ACCESSORIES 21 - 22

Hand Operated Crimping Tools 21
Hydraulic Crimping Tools 21
Corrosion Inhibiting Compound 21
Jack for SYD/ SYT/ SYE 22
Crimping JIGS 22

POLYCAB
IDEAS. CONNECTED.

# COMPANY PROFILE

Dowells is proud of being  Pioneer & market leader in Terminal Technology with its accumulated experience in the line of manufacturing of cable Termnals, Connectors, Cable Glands, Crimping system & Accessories since 1961.

At present, Company is a subsidiary of Polycab India Ltd., India's leading Cables & Wires company with a glorious track recordof over 4 decades having their manufacturing facilities at Halol, Daman, Nashik & Roorkee in India, and this subsidiary company i.e M/S. Dowells Cable Accessories Pvt Ltd have set up their manufacturing plant at Halol in Gujarat state having admeasuring area of 1,00,000 Sq. ft with in - house manufacturing facilities where more than 2500 line items with production capacity of 5000 metric tons per annum with an aim to serve world best technology in cable and termination

## OUR MISSION

we will create a great place to work by inspiring our people to continuosly innovate and bring greater value to our customers and environment, there by enhancing stakeholder value.

## OUR VISION

Enhance and strengthen our leadership position in wires and cables, Continue to invest in technology to improve operational efficiencies, customer satisfaction, and sales and strengthen brand recognition.




## CABLE GLANDS

DOWELL's electrical armoured and unarmored cable glands are designed for usage in including oil and gas, petrochemical, construction, pharmaceutical, transportation, solar and mining to name a few. Electrical cable glands can be used with a range of cable types, including armoured and unarmoured and are available in nickel plated brass, stainless steel, polyamide.

## CONNECTORS & SHEET TERMINALS

DOWELL's is a pioneer in designing and manufacturing Solderless Electrical tubular connectors. These Connectors are crimped on to a conductor, to facilitate a termination or a straight connection with utmost reliability. These are designed with optimum ductility which is an absolute necessity for connectors that will have to withstand the severe deformation arising when compressed or crimped during the installation. The connectors are available in both aluminium, copper (Electrolytically tin plated to prevent oxidation), Bimetallic and Friction welded(CU to Al).Sheet metal terminals are also available as Ring, Pin & Fork terminals.

## TOOLS & ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.

## CONNECTORS FOR 2C,3C,3.5C, 4C SECTOR SHAPED CONDUCTORS

Designed primarily for solid or stranded sector shape conductors for all angular arrangement of 2C,3C,3.5C or 4C cables. Precision fit on the sector conductor, allows for perfect and reliable connection. This eliminated the process of rounding of the conductors for fitment during crimping in case of round connectors. This design also gives an optimum crimping quality with sector shaped dies, making it more reliable and trusted connection.

## FEATURES

Reduces contact Resistance > 10%
Drastic Reduction in hot spots when compared with circular connector for the same applications
Improved conductivity
Increase in the contact surface area

## COPPER SECTOR LUGS - LONG BARREL

| SIZE (SQ - MM) | E-BOLT HOLE | DOWELL 'S CATALOGUE NO. | | | | PRICE (₹) | STD PKG. |
|---|---|---|---|---|---|---|---|
| | | 2 CORE | 3 CORE | 3.5 CORE | 4 CORE | | |
| 25 | 8.4 | CUS-2001 | CUS-3001 | CUS-3501 | CUS-4001 | 67.15 | 25 |
| 25 | 10.5 | CUS-2002 | CUS-3002 | CUS-3502 | CUS-4002 | 67.15 | 25 |
| 25 | 13 | CUS-2003 | CUS-3003 | CUS-3503 | CUS-4003 | 67.15 | 25 |
| 35 | 8.4 | CUS-2004 | CUS-3004 | CUS-3504 | CUS-4004 | 106.04 | 25 |
| 35 | 10.5 | CUS-2005 | CUS-3005 | CUS-3505 | CUS-4005 | 106.04 | 25 |
| 50 | 8.4 | CUS-2006 | CUS-3006 | CUS-3506 | CUS-4006 | 151.66 | 25 |
| 50 | 10.5 | CUS-2007 | CUS-3007 | CUS-3507 | CUS-4007 | 151.66 | 25 |
| 50 | 13 | CUS-2008 | CUS-3008 | CUS-3508 | CUS-4008 | 151.66 | 25 |
| 70 | 8.4 | CUS-2009 | CUS-3009 | CUS-3509 | CUS-4009 | 244.27 | 15 |
| 70 | 10.5 | CUS-2010 | CUS-3010 | CUS-3510 | CUS-4010 | 244.27 | 15 |
| 70 | 13 | CUS-2011 | CUS-3011 | CUS-3511 | CUS-4011 | 244.27 | 15 |
| 95 | 10.5 | CUS-2012 | CUS-3012 | CUS-3512 | CUS-4012 | 302.14 | 10 |
| 95 | 13 | CUS-2013 | CUS-3013 | CUS-3513 | CUS-4013 | 302.14 | 10 |
| 95 | 17 | CUS-2014 | CUS-3014 | CUS-3514 | CUS-4014 | 302.14 | 10 |
| 120 | 10.5 | CUS-2015 | CUS-3015 | CUS-3515 | CUS-4015 | 415.59 | 10 |
| 120 | 13 | CUS-2016 | CUS-3016 | CUS-3516 | CUS-4016 | 423.70 | 10 |
| 120 | 17 | CUS-2017 | CUS-3017 | CUS-3517 | CUS-4017 | 415.59 | 10 |
| 150 | 10.5 | CUS-2018 | CUS-3018 | CUS-3518 | CUS-4018 | 526.73 | 15 |
| 150 | 13 | CUS-2019 | CUS-3019 | CUS-3519 | CUS-4019 | 526.73 | 15 |
| 150 | 17 | CUS-2020 | CUS-3020 | CUS-3520 | CUS-4020 | 526.73 | 15 |
| 185 | 10.5 | CUS-2021 | CUS-3021 | CUS-3521 | CUS-4021 | 661.01 | 10 |
| 185 | 13 | CUS-2022 | CUS-3022 | CUS-3522 | CUS-4022 | 688.79 | 10 |
| 185 | 17 | CUS-2023 | CUS-3023 | CUS-3523 | CUS-4023 | 661.01 | 10 |
| 240 | 13 | CUS-2024 | CUS-3024 | CUS-3524 | CUS-4024 | 1,010.61 | 10 |
| 240 | 17 | CUS-2025 | CUS-3025 | CUS-3525 | CUS-4025 | 1,010.61 | 10 |
| 300 | 17 | CUS-2026 | CUS-3026 | CUS-3526 | CUS-4026 | 1,264.13 | 10 |
| 300 | 20.3 | CUS-2027 | CUS-3027 | CUS-3527 | CUS-4027 | 1,264.13 | 10 |
| 400 | 20.3 | CUS-2028 | CUS-3028 | CUS-3528 | CUS-4028 | 1,787.38 | 8 |
| 500 | 21 | CUS-2029 | CUS-3029 | CUS-3529 | CUS-4029 | 2,102.25 | 5 |
| 630 | 21 | CUS-2030 | CUS-3030 | CUS-3530 | CUS-4030 | 3,155.70 | 5 |

## COPPER SECTOR LUGS - SHORT BARREL

| SIZE (SQ - MM) | E-BOLT HOLE | DOWELL 'S CATALOGUE NO. | | | | PRICE (₹) | STD PKG. |
|---|---|---|---|---|---|---|---|
| | | 2 CORE | 3 CORE | 3.5 CORE | 4 CORE | | |
| 25 | 8.4 | CUS-2101 | CUS-3101 | CUS-3601 | CUS-4101 | 47.00 | 25 |
| 25 | 10.5 | CUS-2102 | CUS-3102 | CUS-3602 | CUS-4102 | 47.00 | 25 |
| 25 | 13 | CUS-2103 | CUS-3103 | CUS-3603 | CUS-4103 | 47.00 | 25 |
| 35 | 8.4 | CUS-2104 | CUS-3104 | CUS-3604 | CUS-4104 | 68.31 | 25 |
| 35 | 10.5 | CUS-2105 | CUS-3105 | CUS-3605 | CUS-4105 | 68.31 | 25 |
| 50 | 8.4 | CUS-2106 | CUS-3106 | CUS-3606 | CUS-4106 | 106.04 | 25 |
| 50 | 10.5 | CUS-2107 | CUS-3107 | CUS-3607 | CUS-4107 | 106.04 | 25 |
| 50 | 13 | CUS-2108 | CUS-3108 | CUS-3608 | CUS-4108 | 106.04 | 25 |
| 70 | 8.4 | CUS-2109 | CUS-3109 | CUS-3609 | CUS-4109 | 169.02 | 15 |
| 70 | 10.5 | CUS-2110 | CUS-3110 | CUS-3610 | CUS-4110 | 169.02 | 15 |
| 70 | 13 | CUS-2111 | CUS-3111 | CUS-3611 | CUS-4111 | 169.02 | 15 |
| 95 | 10.5 | CUS-2112 | CUS-3112 | CUS-3612 | CUS-4112 | 207.22 | 10 |
| 95 | 13 | CUS-2113 | CUS-3113 | CUS-3613 | CUS-4113 | 207.22 | 10 |
| 95 | 17 | CUS-2114 | CUS-3114 | CUS-3614 | CUS-4114 | 207.22 | 10 |
| 120 | 10.5 | CUS-2115 | CUS-3115 | CUS-3615 | CUS-4115 | 309.09 | 10 |
| 120 | 13 | CUS-2116 | CUS-3116 | CUS-3616 | CUS-4116 | 309.09 | 10 |
| 120 | 17 | CUS-2117 | CUS-3117 | CUS-3617 | CUS-4117 | 309.09 | 10 |
| 150 | 10.5 | CUS-2118 | CUS-3118 | CUS-3618 | CUS-4118 | 388.97 | 15 |
| 150 | 13 | CUS-2119 | CUS-3119 | CUS-3619 | CUS-4119 | 388.97 | 15 |
| 150 | 17 | CUS-2120 | CUS-3120 | CUS-3620 | CUS-4120 | 388.97 | 15 |
| 185 | 10.5 | CUS-2121 | CUS-3121 | CUS-3621 | CUS-4121 | 500.10 | 10 |
| 185 | 13 | CUS-2122 | CUS-3122 | CUS-3622 | CUS-4122 | 500.10 | 10 |
| 185 | 17 | CUS-2123 | CUS-3123 | CUS-3623 | CUS-4123 | 500.10 | 10 |
| 240 | 13 | CUS-2124 | CUS-3124 | CUS-3624 | CUS-4124 | 788.34 | 10 |
| 240 | 17 | CUS-2125 | CUS-3125 | CUS-3625 | CUS-4125 | 788.34 | 10 |
| 300 | 17 | CUS-2126 | CUS-3126 | CUS-3626 | CUS-4126 | 1,008.30 | 10 |
| 300 | 20.3 | CUS-2127 | CUS-3127 | CUS-3627 | CUS-4127 | 1,008.30 | 10 |
| 400 | 20.3 | CUS-2128 | CUS-3128 | CUS-3628 | CUS-4128 | 1,495.66 | 8 |
| 500 | 21 | CUS-2129 | CUS-3129 | CUS-3629 | CUS-4129 | 1,735.29 | 5 |
| 630 | 21 | CUS-2130 | CUS-3130 | CUS-3630 | CUS-4130 | 2,602.35 | 5 |

## COPPER SECTOR CONNECTORS

| SIZE (sq - mm) | DOWELL'S CATALOGUE NO. | | | | PRICE (₹) | STD PKG. |
|---|---|---|---|---|---|---|
| | 2 CORE | 3 CORE | 3.5 CORE | 4 CORE | | |
| 25 | 2S-CB-25 | 3S-CB-25 | 3.5S-CB-25 | 4S-CB-25 | 31.73 | 50 |
| 35 | 2S-CB-35 | 3S-CB-35 | 3.5S-CB-35 | 4S-CB-35 | 49.44 | 50 |
| 50 | 2S-CB-50 | 3S-CB-50 | 3.5S-CB-50 | 4S-CB-50 | 81.16 | 50 |
| 70 | 2S-CB-70 | 3S-CB-70 | 3.5S-CB-70 | 4S-CB-70 | 138.92 | 50 |
| 95 | 2S-CB-95 | 3S-CB-95 | 3.5S-CB-95 | 4S-CB-95 | 203.75 | 25 |
| 120 | 2S-CB-120 | 3S-CB-120 | 3.5S-CB-120 | 4S-CB-120 | 278.99 | 20 |
| 150 | 2S-CB-150 | 3S-CB-150 | 3.5S-CB-150 | 4S-CB-150 | 375.08 | 25 |
| 185 | 2S-CB-185 | 3S-CB-185 | 3.5S-CB-185 | 4S-CB-185 | 496.62 | 25 |
| 240 | 2S-CB-240 | 3S-CB-240 | 3.5S-CB-240 | 4S-CB-240 | 769.82 | 20 |
| 300 | 2S-CB-300 | 3S-CB-300 | 3.5S-CB-300 | 4S-CB-300 | 1,069.65 | 10 |
| 400 | 2S-CB-400 | 3S-CB-400 | 3.5S-CB-400 | 4S-CB-400 | 1,641.52 | 8 |
| 500 | 2S-CB-500 | 3S-CB-500 | 3.5S-CB-500 | 4S-CB-500 | 1,881.14 | 5 |
| 630 | 2S-CB-630 | 3S-CB-630 | 3.5S-CB-630 | 4S-CB-630 | 2,576.88 | 5 |

## ALUMINIUM SECTOR CONNECTORS

| SIZE (sq - mm) | DOWELL'S CATALOGUE NO. | | | | PRICE (₹) | STD PKG. |
|---|---|---|---|---|---|---|
| | 2 CORE | 3 CORE | 3.5 CORE | 4 CORE | | |
| 25 | 2S-ALS-1 | 3S-ALS-1 | 3.5S-ALS-1 | 4S-ALS-1 | 5.67 | 100 |
| 35 | 2S-ALS-2 | 3S-ALS-2 | 3.5S-ALS-2 | 4S-ALS-2 | 8.46 | 100 |
| 50 | 2S-ALS-3 | 3S-ALS-3 | 3.5S-ALS-3 | 4S-ALS-3 | 13.78 | 100 |
| 70 | 2S-ALS-4 | 3S-ALS-4 | 3.5S-ALS-4 | 4S-ALS-4 | 24.31 | 100 |
| 95 | 2S-ALS-5 | 3S-ALS-5 | 3.5S-ALS-5 | 4S-ALS-5 | 35.32 | 50 |
| 120 | 2S-ALS-6 | 3S-ALS-6 | 3.5S-ALS-6 | 4S-ALS-6 | 49.09 | 35 |
| 150 | 2S-ALS-7 | 3S-ALS-7 | 3.5S-ALS-7 | 4S-ALS-7 | 66.80 | 50 |
| 185 | 2S-ALS-8 | 3S-ALS-8 | 3.5S-ALS-8 | 4S-ALS-8 | 86.60 | 40 |
| 240 | 2S-ALS-9 | 3S-ALS-9 | 3.5S-ALS-9 | 4S-ALS-9 | 137.76 | 20 |
| 300 | 2S-ALS-10 | 3S-ALS-10 | 3.5S-ALS-10 | 4S-ALS-10 | 187.55 | 15 |
| 400 | 2S-ALS-11 | 3S-ALS-11 | 3.5S-ALS-11 | 4S-ALS-11 | 289.42 | 10 |
| 500 | 2S-ALS-19 | 3S-ALS-19 | 3.5S-ALS-19 | 4S-ALS-19 | 282.47 | 5 |
| 630 | 2S-ALS-20 | 3S-ALS-20 | 3.5S-ALS-20 | 4S-ALS-20 | 373.92 | 5 |

## ALUMINIUM SECTOR LUGS - LONG BARREL

| SIZE (sq - mm) | E-BOLT HOLE | DOWELL'S CATALOGUE NO. | | | | PRICE (₹) | STD PKG. |
|---|---|---|---|---|---|---|---|
| | | 2 CORE | 3 CORE | 3.5 CORE | 4 CORE | | |
| 25 | 8.4 | 2S-ALS-518 | 3S-ALS-518 | 3.5S-ALS-518 | 4S-ALS-518 | 9.84 | 50 |
| 25 | 10.5 | 2S-ALS-519 | 3S-ALS-519 | 3.5S-ALS-519 | 4S-ALS-519 | 9.84 | 50 |
| 25 | 13 | 2S-ALS-520 | 3S-ALS-520 | 3.5S-ALS-520 | 4S-ALS-520 | 9.84 | 50 |
| 35 | 8.4 | 2S-ALS-521 | 3S-ALS-521 | 3.5S-ALS-521 | 4S-ALS-521 | 15.51 | 50 |
| 35 | 10.5 | 2S-ALS-522 | 3S-ALS-522 | 3.5S-ALS-522 | 4S-ALS-522 | 15.51 | 50 |
| 50 | 8.4 | 2S-ALS-655 | 3S-ALS-655 | 3.5S-ALS-655 | 4S-ALS-655 | 22.70 | 50 |
| 50 | 10.5 | 2S-ALS-512 | 3S-ALS-512 | 3.5S-ALS-512 | 4S-ALS-512 | 22.70 | 50 |
| 50 | 13 | 2S-ALS-524 | 3S-ALS-524 | 3.5S-ALS-524 | 4S-ALS-524 | 22.70 | 50 |
| 70 | 8.4 | 2S-ALS-556 | 3S-ALS-556 | 3.5S-ALS-556 | 4S-ALS-556 | 33.69 | 30 |
| 70 | 10.5 | 2S-ALS-525 | 3S-ALS-525 | 3.5S-ALS-525 | 4S-ALS-525 | 33.69 | 30 |
| 70 | 13 | 2S-ALS-526 | 3S-ALS-526 | 3.5S-ALS-526 | 4S-ALS-526 | 33.69 | 30 |
| 95 | 10.5 | 2S-ALS-527 | 3S-ALS-527 | 3.5S-ALS-527 | 4S-ALS-527 | 40.29 | 20 |
| 95 | 13 | 2S-ALS-528 | 3S-ALS-528 | 3.5S-ALS-528 | 4S-ALS-528 | 40.29 | 20 |
| 95 | 17 | 2S-ALS-529 | 3S-ALS-529 | 3.5S-ALS-529 | 4S-ALS-529 | 40.29 | 20 |
| 120 | 10.5 | 2S-ALS-557 | 3S-ALS-557 | 3.5S-ALS-557 | 4S-ALS-557 | 56.26 | 20 |
| 120 | 13 | 2S-ALS-530 | 3S-ALS-530 | 3.5S-ALS-530 | 4S-ALS-530 | 56.26 | 20 |
| 120 | 17 | 2S-ALS-531 | 3S-ALS-531 | 3.5S-ALS-531 | 4S-ALS-531 | 56.26 | 20 |
| 150 | 10.5 | 2S-ALS-658 | 3S-ALS-658 | 3.5S-ALS-658 | 4S-ALS-658 | 71.66 | 25 |
| 150 | 13 | 2S-ALS-532 | 3S-ALS-532 | 3.5S-ALS-532 | 4S-ALS-532 | 71.66 | 25 |
| 150 | 17 | 2S-ALS-533 | 3S-ALS-533 | 3.5S-ALS-533 | 4S-ALS-533 | 71.66 | 25 |
| 185 | 10.5 | 2S-ALS-511 | 3S-ALS-511 | 3.5S-ALS-511 | 4S-ALS-511 | 90.42 | 20 |
| 185 | 13 | 2S-ALS-534 | 3S-ALS-534 | 3.5S-ALS-534 | 4S-ALS-534 | 90.42 | 20 |
| 185 | 17 | 2S-ALS-535 | 3S-ALS-535 | 3.5S-ALS-535 | 4S-ALS-535 | 90.42 | 20 |
| 240 | 13 | 2S-ALS-536 | 3S-ALS-536 | 3.5S-ALS-536 | 4S-ALS-536 | 138.92 | 15 |
| 240 | 17 | 2S-ALS-537 | 3S-ALS-537 | 3.5S-ALS-537 | 4S-ALS-537 | 138.92 | 15 |
| 300 | 17 | 2S-ALS-500 | 3S-ALS-500 | 3.5S-ALS-500 | 4S-ALS-500 | 172.49 | 10 |
| 300 | 20.3 | 2S-ALS-559 | 3S-ALS-559 | 3.5S-ALS-559 | 4S-ALS-559 | 172.49 | 10 |
| 400 | 20.3 | 2S-ALS-560 | 3S-ALS-560 | 3.5S-ALS-560 | 4S-ALS-560 | 243.11 | 8 |
| 500 | 20.3 | 2S-ALS-596 | 3S-ALS-596 | 3.5S-ALS-596 | 4S-ALS-596 | 380.86 | 5 |
| 630 | 20.3 | 2S-ALS-561 | 3S-ALS-561 | 3.5S-ALS-561 | 4S-ALS-561 | 498.94 | 5 |

## ALUMINIUM SECTOR LUGS - SHORT BARREL

| SIZE (SQ - MM) | E-BOLT HOLE | DOWELL'S CATALOGUE NO. | | | | PRICE (₹) | STD PKG. |
|---|---|---|---|---|---|---|---|
| | | 2 CORE | 3 CORE | 3.5 CORE | 4 CORE | | |
| 25 | 8.4 | 2S-ALS-218 | 3S-ALS-218 | 3.5S-ALS-218 | 4S-ALS-218 | 7.19 | 50 |
| 25 | 10.5 | 2S-ALS-219 | 3S-ALS-219 | 3.5S-ALS-219 | 4S-ALS-219 | 7.19 | 50 |
| 25 | 13 | 2S-ALS-220 | 3S-ALS-220 | 3.5S-ALS-220 | 4S-ALS-220 | 7.19 | 50 |
| 35 | 8.4 | 2S-ALS-221 | 3S-ALS-221 | 3.5S-ALS-221 | 4S-ALS-221 | 9.84 | 50 |
| 35 | 10.5 | 2S-ALS-222 | 3S-ALS-222 | 3.5S-ALS-222 | 4S-ALS-222 | 9.84 | 50 |
| 50 | 8.4 | 2S-ALS-255 | 3S-ALS-255 | 3.5S-ALS-255 | 4S-ALS-255 | 15.51 | 50 |
| 50 | 10.5 | 2S-ALS-312 | 3S-ALS-312 | 3.5S-ALS-312 | 4S-ALS-312 | 15.51 | 50 |
| 50 | 13 | 2S-ALS-224 | 3S-ALS-224 | 3.5S-ALS-224 | 4S-ALS-224 | 15.51 | 50 |
| 70 | 8.4 | 2S-ALS-256 | 3S-ALS-256 | 3.5S-ALS-256 | 4S-ALS-256 | 24.31 | 30 |
| 70 | 10.5 | 2S-ALS-225 | 3S-ALS-225 | 3.5S-ALS-225 | 4S-ALS-225 | 24.31 | 30 |
| 70 | 13 | 2S-ALS-226 | 3S-ALS-226 | 3.5S-ALS-226 | 4S-ALS-226 | 24.31 | 30 |
| 95 | 10.5 | 2S-ALS-227 | 3S-ALS-227 | 3.5S-ALS-227 | 4S-ALS-227 | 30.34 | 20 |
| 95 | 13 | 2S-ALS-228 | 3S-ALS-228 | 3.5S-ALS-228 | 4S-ALS-228 | 30.34 | 20 |
| 95 | 17 | 2S-ALS-229 | 3S-ALS-229 | 3.5S-ALS-229 | 4S-ALS-229 | 30.34 | 20 |
| 120 | 10.5 | 2S-ALS-257 | 3S-ALS-257 | 3.5S-ALS-257 | 4S-ALS-257 | 44.12 | 20 |
| 120 | 13 | 2S-ALS-230 | 3S-ALS-230 | 3.5S-ALS-230 | 4S-ALS-230 | 44.12 | 20 |
| 120 | 17 | 2S-ALS-231 | 3S-ALS-231 | 3.5S-ALS-231 | 4S-ALS-231 | 44.12 | 20 |
| 150 | 10.5 | 2S-ALS-258 | 3S-ALS-258 | 3.5S-ALS-258 | 4S-ALS-258 | 55.11 | 25 |
| 150 | 13 | 2S-ALS-232 | 3S-ALS-232 | 3.5S-ALS-232 | 4S-ALS-232 | 55.11 | 25 |
| 150 | 17 | 2S-ALS-233 | 3S-ALS-233 | 3.5S-ALS-233 | 4S-ALS-233 | 55.11 | 25 |
| 185 | 10.5 | 2S-ALS-B1 | 3S-ALS-B1 | 3.5S-ALS-131 | 4S-ALS-311 | 70.04 | 20 |
| 185 | 13 | 2S-ALS-234 | 3S-ALS-234 | 3.5S-ALS-234 | 4S-ALS-234 | 70.04 | 20 |
| 185 | 17 | 2S-ALS-235 | 3S-ALS-235 | 3.5S-ALS-235 | 4S-ALS-235 | 70.04 | 20 |
| 240 | 13 | 2S-ALS-236 | 3S-ALS-236 | 3.5S-ALS-236 | 4S-ALS-236 | 110.21 | 15 |
| 240 | 17 | 2S-ALS-237 | 3S-ALS-237 | 3.5S-ALS-237 | 4S-ALS-237 | 110.21 | 15 |
| 300 | 17 | 2S-ALS-300 | 3S-ALS-300 | 3.5S-ALS-300 | 4S-ALS-300 | 140.07 | 10 |
| 300 | 20.3 | 2S-ALS-259 | 3S-ALS-259 | 3.5S-ALS-259 | 4S-ALS-259 | 140.07 | 10 |
| 400 | 20.3 | 2S-ALS-260 | 3S-ALS-260 | 3.5S-ALS-260 | 4S-ALS-260 | 210.70 | 8 |
| 500 | 20.3 | 2S-ALS-296 | 3S-ALS-296 | 3.5S-ALS-296 | 4S-ALS-296 | 314.88 | 5 |
| 630 | 20.3 | 2S-ALS-261 | 3S-ALS-261 | 3.5S-ALS-261 | 4S-ALS-261 | 420.23 | 5 |

## COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV

### COPPER TUBE TERMINALMEDIUM DUTY

| $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|
| 2.5-5 | CUS-05 | 7.30 |
| 4-6 | CUS-06 | 10.42 |
| 6-6 | CUS-07 | 11.34 |
| 10-6 | CUS-08 | 14.59 |
| 16-6 | CUS-09 | 18.99 |
| 25-6 | CUS-10 | 31.73 |
| 35-6 | CUS-11 | 34.27 |
| 35-8 | CUS-12 | 34.27 |
| 50-6 | CUS-13 | 45.73 |
| 50-8 | CUS-14 | 45.73 |
| 50-10 | CUS-15 | 45.73 |
| 70-8 | CUS-16 | 79.88 |
| 70-10 | CUS-17 | 79.88 |
| 70-12 | CUS-18 | 79.88 |
| 95-10 | CUS-19 | 113.46 |
| 95-12 | CUS-20 | 108.83 |
| 120-10 | CUS-21 | 145.87 |
| 120-12 | CUS-22 | 145.87 |
| 120-16 | CUS-23 | 145.87 |
| 150-10 | CUS-24 | 214.16 |
| 150-12 | CUS-25 | 211.85 |
| 150-16 | CUS-26 | 207.22 |
| 185-12 | CUS-27 | 319.51 |
| 185-16 | CUS-28 | 312.57 |
| 225-16 | CUS-231 | 378.55 |
| 240-16 | CUS-29 | 428.33 |
| 240-20 | CUS-30 | 428.33 |
| 300-16 | CUS-31 | 636.70 |
| 300-20 | CUS-32 | 629.75 |
| 400-20 | CUS-33 | 867.06 |
| 500-20 | CUS-34 | 1,158.78 |
| 630-20 | CUS-35 | 1,624.16 |
| 800 | CUS-062 | 2,674.12 |
| 1000 | CUS-076 | 5,901.58 |

### COPPER TUBE TERMINALHEAVY DUTY LONG BARREL

| $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|
| 25-8 | CUS-282 | 36.59 |
| 35-8 | CUS-283 | 58.58 |
| 50-8 | CUS-284 | 97.59 |
| 70-10 | CUS-285 | 150.50 |
| 95-12 | CUS-286 | 236.16 |
| 120-12 | CUS-287 | 336.88 |
| 150-12 | CUS-288 | 414.44 |
| 185-12 | CUS-289 | 600.81 |
| 240-16 | CUS-290 | 842.76 |
| 300-16 | CUS-291 | 1,111.32 |
| 400-20 | CUS-292 | 1,694.77 |
| 500-21 | CUS-293 | 3,008.67 |
| 630-21 | CUS-294 | 4,008.86 |

### COPPER TUBE TERMINALEXTENDED PALM (BLANK)

| $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|
| 50 | CUS-466 | 125.03 |
| 70 | CUS-467 | 207.22 |
| 95 | CUS-468 | 296.36 |
| 120 | CUS-469 | 356.55 |
| 150 | CUS-470 | 467.69 |
| 185 | CUS-471 | 693.42 |
| 240 | CUS-472 | 1,023.35 |
| 300 | CUS-473 | 1,480.61 |
| 400 | CUS-474 | 2,562.99 |
| 500 | CUS-475 | 3,074.66 |
| 630 | CUS-476 | 4,735.85 |

### COPPER TUBE TERMINALHEAVY DUTYBS-4579

| $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|
| 1.5-5 | CUS-538 | 9.15 |
| 1.5-6 | CUS-539 | 9.50 |
| 2.5-4 | CUS-388 | 9.50 |
| 2.5-5 | CUS-540 | 9.96 |
| 2.5-6 | CUS-541 | 9.96 |
| 4-5 | CUS-389 | 12.16 |
| 4-6 | CUS-543 | 12.16 |
| 6-5 | CUS-390 | 14.59 |
| 6-6 | CUS-544 | 14.59 |
| 6-8 | CUS-545 | 14.59 |
| 10-6 | CUS-353 | 15.28 |
| 10-8 | CUS-547 | 16.45 |
| 16-8 | CUS-549 | 22.00 |
| 16-6 | CUS-354 | 20.72 |
| 20-8 | CUS-550 | 23.27 |
| 25-6 | CUS-355 | 33.57 |
| 25-8 | CUS-551 | 33.57 |
| 25-10 | CUS-552 | 33.57 |
| 35-8 | CUS-356 | 43.87 |
| 35-6 | CUS-542 | 43.87 |
| 35-10 | CUS-554 | 45.73 |
| 50-8 | CUS-357 | 72.01 |
| 50-10 | CUS-556 | 72.01 |
| 70-10 | CUS-358 | 119.24 |
| 70-8 | CUS-557 | 119.24 |
| 70-13 | CUS-559 | 119.24 |
| 95-10 | CUS-359 | 166.70 |
| 95-13 | CUS-561 | 166.70 |
| 120-17 | CUS-546 | 226.90 |
| 120-13 | CUS-241 | 226.90 |
| 150-13 | CUS-242 | 296.36 |
| 150-17 | CUS-564 | 274.36 |
| 185-17 | CUS-243 | 388.97 |
| 240-17 | CUS-244 | 575.34 |
| 240-21 | CUS-567 | 575.34 |
| 300-17 | CUS-245 | 836.97 |
| 300-21 | CUS-569 | 836.97 |
| 400-17 | CUS-246 | 1,317.39 |
| 400-21 | CUS-571 | 1,345.17 |
| 500-21 | CUS-247 | 1,796.64 |
| 550-21 | CUS-573 | 2,200.65 |
| 630-21 | CUS-248 | 2,694.96 |
| 800 | CUS-599 | 4,683.76 |
| 1000 | CUS-590 | 6,663.29 |

## COPPER REDUCER TERMINAL

| mm² | CAT. NO. | PRICE (₹) |
|---|---|---|
| 2.5 | WPC-01 | 23.27 |
| 2.5 | WPC-07 | 22.00 |
| 4 | WPC-15 | 23.27 |
| 4 | WPC-16 | 22.00 |
| 6 | WPC-17 | 23.73 |
| 6 | WPC-18 | 22.00 |
| 10 | WPC-19 | 28.13 |
| 10 | WPC-20 | 25.12 |
| 10 | WPC-21 | 33.57 |
| 10 | WPC-22 | 30.57 |
| 16 | WPC-23 | 56.73 |
| 16 | WPC-24 | 56.73 |
| 16 | WPC-02 | 40.87 |
| 25 | WPC-25 | 65.87 |
| 25 | WPC-03 | 87.18 |
| 35 | WPC-04 | 86.02 |
| 50 | WPC-26 | 96.32 |
| 50 | WPC-05 | 226.90 |
| 70 | WPC-27 | 149.34 |
| 70 | WPC-6 | 226.90 |
| 70 | WPC-28 | 223.42 |
| 95 | WPC-29 | 215.33 |
| 95 | WPC-08 | 302.14 |
| 95 | WPC-31 | 200.27 |
| 95 | WPC-32 | 317.20 |
| 120 | WPC-33 | 261.63 |
| 120 | WPC-34 | 260.47 |
| 120 | WPC-35 | 302.14 |
| 120 | WPC-36 | 406.33 |
| 150 | WPC-10 | 474.64 |
| 150 | WPC-37 | 369.29 |
| 185 | WPC-30 | 603.12 |
| 185 | WPC-38 | 485.05 |
| 225 | WPC-39 | 792.98 |
| 225 | WPC-46 | 1,090.49 |
| 225 | WPC-42 | 1,007.14 |
| 240 | WPC-44 | 1,038.39 |
| 240 | WPC-43 | 759.41 |
| 300 | WPC-45 | 961.99 |
| 300 | WPC-47 | 1,026.82 |
| 400 | WPC-101 | 2,172.86 |

## COPPER TUBULAR TERMINALS LONG BARREL

| mm² | CAT. NO. | PRICE (₹) |
|---|---|---|
| 2.5-5 | CEB-05 | 10.88 |
| 4-6 | CEB-06 | 15.28 |
| 6-6 | CEB-07 | 16.45 |
| 10-6 | CEB-08 | 20.72 |
| 16-6 | CEB-09 | 26.86 |
| 25-6 | CEB-10 | 34.27 |
| 35-6 | CEB-11 | 40.87 |
| 35-8 | CEB-12 | 48.16 |
| 50-6 | CEB-13 | 62.16 |
| 50-8 | CEB-14 | 62.16 |
| 50-10 | CEB-15 | 62.16 |
| 70-8 | CEB-16 | 102.45 |
| 70-10 | CEB-17 | 102.45 |
| 70-12 | CEB-18 | 102.45 |
| 95-10 | CEB-19 | 133.13 |
| 95-12 | CEB-20 | 133.13 |
| 120-10 | CEB-21 | 181.75 |
| 120-12 | CEB-22 | 181.75 |
| 120-16 | CEB-23 | 181.75 |
| 150-10 | CEB-24 | 261.63 |
| 150-12 | CEB-25 | 258.16 |
| 150-16 | CEB-26 | 253.53 |
| 185-12 | CEB-27 | 382.03 |
| 185-16 | CEB-28 | 382.03 |
| 225-16 | CEB-231 | 496.62 |
| 240-16 | CEB-29 | 526.73 |
| 240-20 | CEB-30 | 526.73 |
| 300-16 | CEB-31 | 728.15 |
| 300-20 | CEB-32 | 728.15 |
| 400-20 | CEB-33 | 1,055.76 |
| 500-20 | CEB-34 | 1,422.72 |
| 630-20 | CEB-35 | 1,981.86 |
| 800 | CEB-62 | 3,173.05 |
| 1000 | CEB-76 | 7,173.80 |

## COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS

| mm² | CAT. NO. | PRICE (₹) |
|---|---|---|
| 1.5 | EH-453 | 4.06 |
| 1.5 | CB-41 | 6.25 |
| 2.5 | EH-454 | 4.87 |
| 4 | CB-3 | 6.96 |
| 4.6 | EH-455 | 8.11 |
| 6 | CB-4 | 9.15 |
| 10 | EH-460 | 12.86 |
| 16 | CB-6 | 14.59 |
| 20 | CB-47 | 16.45 |
| 25 | CB-24 | 34.27 |
| 35 | CB-25 | 47.00 |
| 50 | CB-26 | 71.31 |
| 70 | CB-27 | 136.61 |
| 70 | CB-51 | 120.40 |
| 95 | CB-28 | 192.18 |
| 95 | CB-52 | 156.29 |
| 120 | CB-29 | 257.00 |
| 120 | CB-53 | 184.07 |
| 150 | CB-30 | 316.03 |
| 150 | CB-54 | 261.63 |
| 185 | CB-55 | 358.87 |
| 185 | CB-31 | 413.27 |
| 240 | CB-32 | 634.38 |
| 240 | CB-56 | 549.88 |
| 300 | CB-33 | 900.64 |
| 300 | CB-57 | 781.40 |
| 400 | CB-34 | 1,596.37 |
| 400 | CB-58 | 1,151.84 |
| 500 | CB-35 | 2,050.16 |
| 500 | CB-59 | 1,684.35 |
| 550 | CB-60 | 1,866.10 |
| 630 | CB-36 | 2,920.70 |
| 630 | CB-61 | 2,493.53 |
| 800 | CB-42 | 4,195.24 |
| 1000 | CB-43 | 6,244.24 |

## COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS

| mm² | CAT. NO. | PRICE (₹) |
|---|---|---|
| 1.5 | EH-463 | 4.98 |
| 2.5 | EH-464 | 6.14 |
| 4-6 | EH-465 | 9.27 |

## COPPER DIN TYPE TERMINALS

| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|---|---|---|
| 6-5 | DIN-6-5 | 23.27 | 95-16 | DIN-95-16 | 608.92 |
| 6-6 | DIN-6-6 | 23.27 | 120-10 | DIN-120-10 | 764.04 |
| 6-8 | DIN-6-8 | 23.27 | 120-12 | DIN-120-12 | 764.04 |
| 10-5 | DIN-10-5 | 23.73 | 120-14 | DIN-120-14 | 764.04 |
| 10-6 | DIN-10-6 | 23.73 | 120-16 | DIN-120-16 | 764.04 |
| 10-8 | DIN-10-8 | 23.73 | 120-20 | DIN-120-20 | 764.04 |
| 16-6 | DIN-16-6 | 86.02 | 150-10 | DIN-150-10 | 1,090.49 |
| 16-8 | DIN-16-8 | 86.02 | 150-12 | DIN-150-12 | 1,090.49 |
| 16-10 | DIN-16-10 | 86.02 | 150-14 | DIN-150-14 | 1,090.49 |
| 16-12 | DIN-16-12 | 86.02 | 150-16 | DIN-150-16 | 1,090.49 |
| 25-6 | DIN-25-6 | 108.83 | 150-20 | DIN-150-20 | 1,090.49 |
| 25-8 | DIN-25-8 | 108.83 | 185-10 | DIN-185-10 | 1,247.93 |
| 25-10 | DIN-25-10 | 108.83 | 185-12 | DIN-185-12 | 1,247.93 |
| 25-12 | DIN-25-12 | 108.83 | 185-14 | DIN-185-14 | 1,247.93 |
| 35-6 | DIN-35-6 | 211.85 | 185-16 | DIN-185-16 | 1,247.93 |
| 35-8 | DIN-35-8 | 211.85 | 185-20 | DIN-185-20 | 1,247.93 |
| 35-10 | DIN-35-10 | 211.85 | 240-12 | DIN-240-12 | 1,789.70 |
| 35-12 | DIN-35-12 | 211.85 | 240-14 | DIN-240-14 | 1,789.70 |
| 35-14 | DIN-35-14 | 211.85 | 240-16 | DIN-240-16 | 1,789.70 |
| 50-8 | DIN-50-8 | 314.88 | 240-20 | DIN-240-20 | 1,789.70 |
| 50-10 | DIN-50-10 | 314.88 | 300-14 | DIN-300-14 | 2,163.60 |
| 50-12 | DIN-50-12 | 314.88 | 300-16 | DIN-300-16 | 2,163.60 |
| 50-14 | DIN-50-14 | 314.88 | 300-20 | DIN-300-20 | 2,163.60 |
| 50-16 | DIN-50-16 | 314.88 | 400-14 | DIN-400-14 | 4,251.96 |
| 70-8 | DIN-70-8 | 415.59 | 400-16 | DIN-400-16 | 4,251.96 |
| 70-10 | DIN-70-10 | 415.59 | 400-20 | DIN-400-20 | 4,251.96 |
| 70-12 | DIN-70-12 | 415.59 | 500-16 | DIN-500-16 | 5,039.14 |
| 70-14 | DIN-70-14 | 415.59 | 500-20 | DIN-500-20 | 5,039.14 |
| 70-16 | DIN-70-16 | 415.59 | 625-16 | DIN-625-16 | 4,989.37 |
| 95-8 | DIN-95-8 | 608.92 | 625-20 | DIN-625-20 | 4,989.37 |
| 95-10 | DIN-95-10 | 608.92 | 800-16 | DIN-800-16 | 9,002.85 |
| 95-12 | DIN-95-12 | 608.92 | 800-20 | DIN-800-20 | 9,002.85 |
| 95-14 | DIN-95-14 | 608.92 | 1000-21 | DIN-1000-21 | 11,351.68 |

## COPPER TUBE TERMINALICF SERIES

| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|---|---|---|
| 17-5 | CUS-106 | 42.72 | 90-8 | CUS-161 | 314.88 |
| 17-6 | CUS-145 | 42.72 | 90-10 | CUS-162 | 314.88 |
| 17-8 | CUS-146 | 42.72 | 90-13 | CUS-163 | |
| 17-10 | CUS-109 | 43.87 | 110-6 | CUS-115 | 384.34 |
| 23-5 | CUS-107 | 70.73 | 110-8 | CUS-164 | 384.34 |
| 23-6 | CUS-147 | 70.73 | 110-10 | CUS-165 | 384.34 |
| 23-8 | CUS-148 | 70.73 | 110-13 | CUS-166 | 384.34 |
| 23-10 | CUS-108 | 74.44 | 146-8 | CUS-138 | 562.62 |
| 29-5 | CUS-110 | 104.89 | 146-10 | CUS-167 | 562.62 |
| 29-6 | CUS-149 | 96.32 | 146-13 | CUS-168 | 562.62 |
| 29-8 | CUS-150 | 96.32 | 146-17 | CUS-169 | 562.62 |
| 29-10 | CUS-151 | 98.75 | 183-10 | CUS-128 | 735.10 |
| 29-13 | CUS-111 | 96.32 | 183-13 | CUS-170 | 773.30 |
| 45-5 | CUS-116 | 136.61 | 183-17 | CUS-171 | 773.30 |
| 45-6 | CUS-152 | 136.61 | 225-10 | CUS-139 | 889.06 |
| 45-8 | CUS-153 | 136.61 | 225-13 | CUS-172 | 889.06 |
| 45-10 | CUS-154 | 136.61 | 225-17 | CUS-173 | 889.06 |
| 45-10 | CUS-113 | 136.61 | 225-21 | CUS-174 | 889.06 |
| 57-6 | CUS-112 | 223.42 | 299-13 | CUS-140 | 1,257.19 |
| 57-8 | CUS-155 | 223.42 | 299-17 | CUS-175 | 1,272.24 |
| 57-10 | CUS-156 | 223.42 | 299-21 | CUS-176 | 1,257.19 |
| 57-13 | CUS-157 | 223.42 | 366-13 | CUS-141 | 1,770.01 |
| 75-6 | CUS-114 | 284.79 | 366-17 | CUS-177 | 1,770.01 |
| 75-8 | CUS-158 | 284.79 | 366-21 | CUS-178 | 1,770.01 |
| 75-10 | CUS-159 | 284.79 | 437-13 | CUS-142 | 2,427.54 |
| 75-13 | CUS-160 | 284.79 | 437-17 | CUS-179 | 2,428.71 |
| 90-6 | CUS-137 | 314.88 | 437-21 | CUS-180 | 2,428.71 |

## COPPER TUBE LIGHT DUTYIN-LINE CONNECORS

| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$ | CAT. NO. | PRICE (₹) |
|---|---|---|---|---|---|
| 2.5 | CB-23 | 6.83 | 225 | CB-20 | 428.33 |
| 25 | CB-7 | 34.27 | 240 | CB-15 | 448.01 |
| 35 | CB-8 | 45.73 | 300 | CB-16 | 677.21 |
| 50 | CB-9 | 68.31 | 400 | CB-17 | 1,025.67 |
| 70 | CB-10 | 98.75 | 500 | CB-18 | 1,330.11 |
| 95 | CB-11 | 140.07 | 630 | CB-19 | 1,832.53 |
| 120 | CB-12 | 193.33 | 800 | CB-21 | 2,867.44 |
| 150 | CB-13 | 246.58 | 1000 | CB-22 | 4,269.33 |
| 185 | CB-14 | 309.09 | | | |

## ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV All the products are manufactured to precision with attention to detail offering competitive solutions.

| ALUMINIUM TUBE TERMINAL | | |
|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) |
| 2.5-3 | ALS-151 | 3.13 |
| 2.5-3.5 | ALS-309 | 3.13 |
| 4-4 | ALS-155 | 3.25 |
| 4-5 | ALS-317 | 3.25 |
| 6-5 | ALS-158 | 3.71 |
| 6-6 | ALS-313 | 3.71 |
| 10-4 | ALS-159 | 4.52 |
| 10-6 | ALS-214 | 4.52 |
| 10-8 | ALS-215 | 4.52 |
| 16-6 | ALS-252 | 6.25 |
| 16-8 | ALS-216 | 6.25 |
| 16-10 | ALS-217 | 6.25 |
| 25-6 | ALS-253 | 8.57 |
| 25-8 | ALS-218 | 8.57 |
| 25-10 | ALS-219 | 8.57 |
| 25-12 | ALS-220 | 8.57 |
| 35-6 | ALS-254 | 10.31 |
| 35-8 | ALS-221 | 10.31 |
| 35-10 | ALS-222 | 10.31 |
| 50-8 | ALS-255 | 15.51 |
| 50-10 | ALS-312 | 15.51 |
| 50-12 | ALS-224 | 15.51 |
| 70-8 | ALS-256 | 24.31 |
| 70-10 | ALS-225 | 24.31 |
| 70-12 | ALS-226 | 24.31 |
| 95-10 | ALS-227 | 26.06 |
| 95-12 | ALS-228 | 25.48 |
| 95-16 | ALS-229 | 25.48 |
| 120-10 | ALS-257 | 36.12 |
| 120-12 | ALS-230 | 35.32 |
| 120-16 | ALS-231 | 35.32 |
| 150-10 | ALS-258 | 48.04 |
| 150-12 | ALS-232 | 46.89 |
| 150-16 | ALS-233 | 46.89 |
| 185-10 | ALS-311 | 60.66 |
| 185-12 | ALS-234 | 59.28 |
| 185-16 | ALS-235 | 59.97 |
| 225-12 | ALS-320 | 85.43 |
| 240-12 | ALS-236 | 98.17 |
| 240-16 | ALS-237 | 98.17 |
| 300-16 | ALS-300 | 138.92 |
| 300-20 | ALS-259 | 138.92 |
| 400-20 | ALS-260 | 201.44 |
| 500-20 | ALS-296 | 316.03 |
| 630-20 | ALS-261 | 410.96 |
| 800 | ALS-318 | 650.60 |
| 1000 | ALS-319 | 948.10 |

| ALUMINIUM TUBE TERMINALS LONG BARREL | | |
|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) |
| 2.5-3 | ALS-551 | 4.52 |
| 2.5-3.5 | ALS-509 | 4.52 |
| 4-4 | ALS-555 | 4.52 |
| 4-5 | ALS-517 | 4.52 |
| 6-5 | ALS-558 | 4.87 |
| 6-6 | ALS-513 | 4.87 |
| 10-6 | ALS-514 | 5.91 |
| 10-8 | ALS-515 | 5.91 |
| 16-6 | ALS-552 | 7.42 |
| 16-8 | ALS-516 | 7.42 |
| 16-10 | ALS-617 | 7.42 |
| 25-8 | ALS-518 | 8.57 |
| 25-10 | ALS-519 | 8.57 |
| 25-12 | ALS-520 | 8.57 |
| 35-8 | ALS-521 | 12.16 |
| 35-10 | ALS-522 | 12.16 |
| 50-8 | ALS-655 | 18.76 |
| 50-10 | ALS-512 | 18.76 |
| 50-12 | ALS-524 | 18.76 |
| 70-8 | ALS-556 | 30.34 |
| 70-10 | ALS-525 | 30.34 |
| 70-12 | ALS-526 | 30.34 |
| 95-10 | ALS-527 | 31.49 |
| 95-12 | ALS-528 | 31.49 |
| 95-16 | ALS-529 | 31.49 |
| 120-10 | ALS-557 | 46.89 |
| 120-12 | ALS-530 | 46.89 |
| 120-16 | ALS-531 | 46.89 |
| 150-10 | ALS-658 | 57.53 |
| 150-12 | ALS-532 | 56.26 |
| 150-16 | ALS-533 | 56.26 |
| 185-10 | ALS-511 | 73.40 |
| 185-12 | ALS-534 | 75.02 |
| 185-16 | ALS-535 | 74.21 |
| 225-12 | ALS-620 | 105.12 |
| 240-12 | ALS-536 | 119.24 |
| 240-16 | ALS-537 | 119.24 |
| 300-16 | ALS-500 | 174.81 |
| 300-20 | ALS-559 | 174.81 |
| 400-20 | ALS-560 | 251.21 |
| 500-20 | ALS-596 | 402.86 |
| 630-20 | ALS-561 | 522.10 |
| 800 | ALS-618 | 781.40 |
| 1000 | ALS-619 | 1,171.52 |

| ALUMINIUM TERMINALS FOR AL. XLPE CONDUCTORS | | |
|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) |
| 25-8 | ALS-XL17 | 12.16 |
| 35-8 | ALS-XL18 | 16.56 |
| 50-10 | ALS-XL19 | 26.52 |
| 70-10 | ALS-XL20 | 35.32 |
| 95-12 | ALS-XL21 | 55.11 |
| 120-12 | ALS-XL22 | 70.04 |
| 150-12 | ALS-XL23 | 101.41 |
| 185-12 | ALS-XL24 | 134.29 |
| 225-12 | ALS-XL25 | 166.70 |
| 240-12 | ALS-XL26 | 185.22 |
| 300-20 | ALS-XL27 | 241.95 |
| 400-20 | ALS-XL28 | 385.49 |
| 500-20 | ALS-XL29 | 535.99 |
| 630-20 | ALS-XL30 | 766.36 |
| 800-20 | ALS-XL31 | 1,034.93 |
| 1000-20 | ALS-XL32 | 2,204.12 |

| ALUMINIUM TUBE TERMINALS TWO HOLES | | |
|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) |
| 150 | ALS-701 | 112.18 |
| 240 | ALS-702 | 201.44 |
| 300 | ALS-703 | 309.09 |
| 630 | ALS-706 | 816.13 |
| 300 | ALS-704 | 309.09 |
| 300 | ALS-705 | 339.19 |

| ALUMINIUM REDUCER TERMINALS | | |
|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE ( ₹) |
| 2.5 | AWP-01 | 10.31 |
| 2.5 | AWP-07 | 10.31 |
| 4 | AWP-15 | 10.31 |
| 4 | AWP-16 | 9.50 |
| 6 | AWP-17 | 10.88 |
| 6 | AWP-18 | 9.50 |
| 10 | AWP-19 | 11.82 |
| 10 | AWP-20 | 11.82 |
| 10 | AWP-21 | 11.82 |
| 10 | AWP-22 | 11.82 |
| 16 | AWP-23 | 24.31 |
| 16 | AWP-24 | 24.31 |
| 16 | AWP-02 | 16.56 |
| 25 | AWP-25 | 26.52 |
| 25 | AWP-03 | 33.69 |
| 35 | AWP-04 | 35.32 |
| 50 | AWP-26 | 40.29 |
| 50 | AWP-05 | 67.85 |
| 70 | AWP-27 | 61.70 |
| 70 | AWP-06 | 78.84 |
| 70 | AWP-28 | 93.77 |
| 95 | AWP-29 | 89.25 |
| 95 | AWP-08 | 125.03 |
| 95 | AWP-31 | 81.62 |
| 95 | AWP-32 | 131.98 |
| 120 | AWP-33 | 107.31 |
| 120 | AWP-34 | 107.31 |
| 120 | AWP-35 | 125.03 |
| 120 | AWP-36 | 169.02 |
| 150 | AWP-10 | 196.81 |
| 150 | AWP-37 | 153.97 |
| 185 | AWP-30 | 250.05 |
| 185 | AWP-38 | 201.44 |
| 225 | AWP-39 | 328.77 |
| 225 | AWP-46 | 472.32 |
| 225 | AWP-42 | 417.90 |
| 240 | AWP-44 | 430.64 |
| 240 | AWP-43 | 314.88 |
| 300 | AWP-45 | 397.07 |
| 300 | AWP-47 | 426.01 |

| ALUMINIUM IN LINE CONNECTORS | | |
|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) |
| 2.5 | ALS-145 | 2.56 |
| 2.5 | ALS-6 | 2.56 |
| 4 | ALS-5 | 2.67 |
| 6 | ALS-13 | 2.67 |
| 10 | ALS-14 | 3.25 |
| 10 | ALS-146 | 3.13 |
| 16 | ALS-4 | 4.06 |
| 25 | ALS-3 | 6.71 |
| 35 | ALS-2 | 6.71 |
| 50 | ALS-12 | 12.16 |
| 70 | ALS-1 | 20.03 |
| 95 | ALS-15 | 23.73 |
| 120 | ALS-9 | 33.69 |
| 150 | ALS-10 | 40.18 |
| 185 | ALS-1 | 51.40 |
| 225 | ALS-147 | 79.65 |
| 240 | ALS-16 | 80.57 |
| 300 | ALS-17 | 119.24 |
| 400 | ALS-18 | 180.59 |
| 500 | ALS-19 | 289.42 |
| 630 | ALS-20 | 371.60 |
| 800 | ALS-148 | 515.15 |
| 1000 | ALS-149 | 860.12 |

| ALUMINIUM IN LINE CONNECTORS FOR AL. XLPE CONDUTORS | | |
|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) |
| 25 | ALS-XL01 | 10.31 |
| 35 | ALS-XL02 | 16.09 |
| 50 | ALS-XL03 | 25.48 |
| 70 | ALS-XL04 | 35.32 |
| 95 | ALS-XL05 | 49.09 |
| 120 | ALS-XL06 | 62.40 |
| 150 | ALS-XL07 | 83.35 |
| 185 | ALS-XL08 | 125.03 |
| 225 | ALS-XL09 | 151.66 |
| 240 | ALS-XL10 | 175.96 |
| 300 | ALS-XL11 | 228.05 |
| 400 | ALS-XL12 | 349.61 |
| 500 | ALS-XL13 | 457.27 |
| 630 | ALS-XL14 | 629.75 |
| 800 | ALS-XL15 | 862.43 |
| 1000 | ALS-XL16 | 1,187.73 |

## BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.

| BI-METALLIC CONNECTORS (FRICTION WELDED) | | | |
|---|---|---|---|
| Sr. No | Dowell's Cat. No. | Size (Sq.mm) | PRICE (₹) |
| 1 | CACF-16-16 | 16-16 | 343.82 |
| 2 | CACF-25-16 | 25-16 | 343.82 |
| 3 | CACF-25-25 | 25-25 | 343.82 |
| 4 | CACF-35-16 | 35-16 | 343.82 |
| 5 | CACF-35-25 | 35-25 | 336.88 |
| 6 | CACF-35-35 | 35-35 | 332.25 |
| 7 | CACF-50-25 | 50-25 | 422.54 |
| 8 | CACF-50-35 | 50-35 | 422.54 |
| 9 | CACF-50-50 | 50-50 | 409.81 |
| 10 | CACF-70-35 | 70-35 | 417.90 |
| 11 | CACF-70-50 | 70-50 | 408.64 |
| 12 | CACF-70-70 | 70-70 | 392.44 |
| 13 | CACF-95-50 | 95-50 | 522.10 |
| 14 | CACF-95-70 | 95-75 | 507.05 |
| 15 | CACF-95-95 | 95-95 | 504.73 |
| 16 | CACF-120-70 | 120-70 | 659.86 |
| 17 | CACF-120-95 | 120-95 | 648.27 |
| 18 | CACF-120-120 | 120-120 | 632.07 |
| 19 | CACF-150-95 | 150-95 | 643.64 |
| 20 | CACF-150-120 | 150-120 | 629.75 |
| 21 | CACF-150-150 | 150-150 | 605.45 |
| 22 | CACF-185-120 | 185-120 | 898.32 |
| 23 | CACF-185-150 | 185-150 | 876.32 |
| 24 | CACF-185-185 | 185-185 | 1,093.96 |
| 25 | CACF-240-150 | 240-150 | 974.73 |
| 26 | CACF-240-185 | 240-185 | 1,085.86 |
| 27 | CACF-240-240 | 240-240 | 1,045.34 |

| BI-METALLIC TERMINALS (FRICTION WELDED) | | | |
|---|---|---|---|
| Sr. No | Dowell's Cat. No. | Size (Sq.mm) | PRICE (₹) |
| 1 | CAF-25-10 | 25 | 275.52 |
| 2 | CAF-35-10 | 35 | 302.14 |
| 3 | CAF-50-13 | 50 | 344.98 |
| 4 | CAF-70-13 | 70 | 404.01 |
| 5 | CAF-95-13 | 95 | 410.96 |
| 6 | CAF-120-13 | 120 | 471.16 |
| 7 | CAF-150-13 | 150 | 520.94 |
| 8 | CAF-185-13 | 185 | 872.86 |
| 9 | CAF-240-13 | 240 | 893.69 |
| 10 | CAF-300-17 | 300 | 1,136.80 |
| 11 | CAF-400-17 | 400 | 1,149.52 |
| 12 | CAF-500 | 500 | 2,991.31 |
| 13 | CAF-630 | 630 | 3,483.30 |

| ALUMINIUMALLOY TUBULAR BI-METALLIC TERMINALS | | | | | |
|---|---|---|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
| 10-6 | BL-01 | 5.67 | 120-12 | BL-16 | 49.09 |
| 10-8 | BL-02 | 6.25 | 150-12 | BL-17 | 67.85 |
| 16-6 | BL-03 | 8.00 | 150-16 | BL-18 | 67.85 |
| 16-8 | BL-04 | 8.00 | 185-12 | BL-19 | 84.86 |
| 25-8 | BL-05 | 10.31 | 185-16 | BL-20 | 84.86 |
| 25-10 | BL-06 | 10.31 | 225-12 | BL-21 | 119.13 |
| 35-8 | BL-07 | 12.16 | 240-12 | BL-22 | 144.71 |
| 35-10 | BL-08 | 12.16 | 240-16 | BL-23 | 144.71 |
| 50-8 | BL-09 | 21.54 | 300-16 | BL-24 | 230.37 |
| 50-10 | BL-10 | 21.54 | 300-20 | BL-25 | 230.37 |
| 70-10 | BL-11 | 33.11 | 400-20 | BL-26 | 289.42 |
| 70-12 | BL-12 | 33.11 | 500-20 | BL-27 | 416.75 |
| 95-10 | BL-13 | 33.69 | 630-20 | BL-28 | 542.93 |
| 95-12 | BL-14 | 33.69 | 800-20 | BL-29 | 814.97 |
| 120-10 | BL-15 | 49.09 | 1000-20 | BL-30 | 1,333.59 |

## COPPER RING, PIN AND FORK TERMINALS

| PIN TERMINALNON-INSULATED | | | | | |
|---|---|---|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
| 0.75 | CP-59 | 3.25 | 4 | CP-3 | 6.14 |
| 1 | CP-44 | 3.25 | 6 | CP-5 | 6.14 |
| 1.5 | CP-9 | 3.25 | 10 | CP-7 | 9.61 |
| 1.5 | CP-35 | 3.60 | 16 | CP-8 | 18.99 |
| 2.5 | CP-1 | 3.25 | 50 | CP-88 | 71.31 |
| 2.5 | CP-2 | 3.25 | 70 | CP-89 | 96.55 |
| 25 | CP-86 | 35.43 | 95 | CP-90 | 126.18 |
| 35 | CP-87 | 47.00 | | | |

| PIN TERMINAL(INSULATED) | | | | | |
|---|---|---|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
| 0.75 | CPI-60 | 3.60 | 4 | CPI-20 | 7.30 |
| 1 | CPI-45 | 3.60 | 4 | CPI-21 | 9.61 |
| 1.5 | CPI-17 | 3.60 | 6 | CPI-22 | 10.54 |
| 1.5 | CPI-40 | 4.06 | 6 | CPI-23 | 11.11 |
| 2.5 | CPI-18 | 3.71 | 10 | CPI-24 | 12.86 |
| 2.5 | CPI-19 | 3.71 | 16 | CPI-25 | 23.73 |

| PIN TERMINALDOUBLE GRIP (PRE-INSULATED) | | | | | |
|---|---|---|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
| 1.5 | CPD-26 | 4.87 | 2.5 | CPD-28 | 5.10 |
| 2.5 | CPD-27 | 5.10 | 4 | CPD-29 | 8.80 |

| END SEALING FERRULES NON-INSULATED | | | | | |
|---|---|---|---|---|---|
| $mm^2$-L | CAT. NO. | PRICE (₹) | $mm^2$-L | CAT. NO. | PRICE (₹) |
| 0.5-6 | EH-508 | 1.04 | 6-10 | EH-518 | 1.85 |
| 0.75-6 | EH-509 | 1.04 | 6-12 | EH-519 | 2.08 |
| 1-6 | EH-510 | 1.04 | 6-15 | EH-520 | 2.90 |
| 1-10 | EH-511 | 1.04 | 10-12 | EH-521 | 3.36 |
| 1.5-7 | EH-512 | 1.04 | 10-15 | EH-522 | 3.48 |
| 1.5-10 | EH-513 | 1.16 | 10-18 | EH-523 | 4.06 |
| 2.5-7 | EH-514 | 1.16 | 16-12 | EH-524 | 3.48 |
| 2.5-12 | EH-515 | 1.28 | 16-15 | EH-525 | 4.06 |
| 4-9 | EH-516 | 1.28 | 16-18 | EH-526 | 4.75 |
| 4-12 | EH-517 | 1.51 | - | - | - |

| NON INSULATED RING TERMINALS | | | | | |
|---|---|---|---|---|---|
| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
| 0.75-4 | RS-7317 | 3.02 | 10-5 | RS-7026 | 8.23 |
| 1-3.5 | RS-7318 | 3.02 | 10-6 | RS-7120 | 8.92 |
| 1.5-3 | RS-7001 | 3.25 | 10-8 | RS-7121 | 11.34 |
| 1.5-3.5 | RS-7002 | 3.25 | 10-10 | RS-7027 | 15.28 |
| 1.5-3.5 | RS-7048 | 3.25 | 10-10 | RS-7123 | 16.45 |
| 1.5-4 | RS-7003 | 3.25 | 10-12 | RS-7028 | 15.63 |
| 1.5-4 | RS-7049 | 3.25 | 16-5 | RS-7124 | 14.13 |
| 1.5-4 | RS-7004 | 3.36 | 16-6 | RS-7029 | 15.28 |
| 1.5-4 | RS-7154 | 3.48 | 16-6 | RS-7031 | 20.72 |
| 1.5-5 | RS-7005 | 3.36 | 16-8 | RS-7030 | 18.99 |
| 1.5-5 | RS-7006 | 4.06 | 16-10 | RS-7032 | 23.27 |
| 1.5-6 | RS-7007 | 4.06 | 16-10 | RS-7128 | 23.73 |
| 1.5-6 | RS-7106 | 4.17 | 16-12 | RS-7033 | 22.00 |
| 2.5-3 | RS-7107 | 3.71 | 25-6 | RS-7156 | 33.57 |
| 2.5-3.5 | RS-7008 | 4.06 | 25-8 | RS-7034 | 34.97 |
| 2.5-3.5 | RS-7108 | 4.06 | 25-8 | RS-7036 | 38.90 |
| 2.5-4 | RS-7009 | 3.48 | 25-10 | RS-7035 | 33.57 |
| 2.5-5 | RS-7010 | 3.48 | 25-10 | RS-7132 | 49.44 |
| 2.5-5 | RS-7109 | 3.48 | 25-12 | RS-7037 | 49.44 |
| 2.5-5 | RS-7110 | 4.87 | 35-6 | RS-7133 | 40.87 |
| 2.5-6 | RS-7011 | 3.48 | 35-8 | RS-7038 | 43.87 |
| 2.5-6 | RS-7012 | 4.87 | 35-10 | RS-7135 | 55.57 |
| 2.5-8 | RS-7013 | 5.67 | 35-12 | RS-7040 | 51.75 |
| 2.5-8 | RS-7014 | 6.83 | 50-8 | RS-7136 | 62.16 |
| 2.5-10 | RS-7015 | 8.00 | 50-10 | RS-7137 | 67.15 |
| 2.5-10 | RS-7151 | 8.00 | 50-12 | RS-7042 | 72.82 |
| 4.6-4 | RS-7155 | 6.25 | 50-16 | RS-7139 | 90.77 |
| 4.6-5 | RS-7050 | 6.25 | 70-10 | RS-7140 | 91.81 |
| 4.6-5 | RS-7016 | 7.42 | 70-12 | RS-7141 | 94.12 |
| 4.6-6 | RS-7017 | 6.37 | 70-16 | RS-7142 | 109.29 |
| 4.6-6 | RS-7019 | 8.46 | 95-10 | RS-7144 | 133.13 |
| 4.6-6 | RS-7115 | 9.27 | 95-12 | RS-7044 | 127.35 |
| 4.6-8 | RS-7018 | 7.42 | 95-16 | RS-7145 | 144.71 |
| 4.6-8 | RS-7020 | 9.84 | 120-12 | RS-7146 | 165.55 |
| 4.6-8 | RS-7116 | 12.16 | 120-16 | RS-7147 | 204.90 |
| 4.6-10 | RS-7022 | 12.16 | 120-20 | RS-7148 | 236.16 |
| 4.6-10 | RS-7023 | 10.88 | 150-12 | RS-7149 | 351.92 |
| 4.6-12 | RS-7024 | 10.88 | 150-16 | RS-7045 | 346.14 |
| 10-5 | RS-7025 | 9.15 | 150-20 | RS-7046 | 386.66 |

## RING TERMINALS INSULATED

| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|---|---|---|
| 0.75-4 | RSI-7501 | 3.48 | 2.5-5 | RSI-7073 | 5.10 |
| 1-4 | RSI-7502 | 3.48 | 2.5-5 | RSI-7075 | 6.96 |
| 1.5-3 | RSI-7054 | 4.87 | 2.5-6 | RSI-7074 | 5.10 |
| 1.5-3.5 | RSI-7055 | 4.87 | 2.5-6 | RSI-7076 | 6.14 |
| 1.5-3.5 | RSI-7058 | 4.98 | 2.5-8 | RSI-7077 | 6.25 |
| 1.5-4 | RSI-7056 | 4.87 | 2.5-8 | RSI-7079 | 7.42 |
| 1.5-4 | RSI-7059 | 4.98 | 2.5-10 | RSI-7081 | 8.80 |
| 1.5-4 | RSI-7061 | 3.71 | 4.6-4 | RSI-7083 | 7.42 |
| 1.5-4 | RSI-7063 | 4.87 | 4.6-5 | RSI-7084 | 7.42 |
| 1.5-5 | RSI-7062 | 3.71 | 4.6-5 | RSI-7086 | 8.80 |
| 1.5-5 | RSI-7065 | 5.91 | 4.6-6 | RSI-7089 | 8.46 |
| 1.5-5 | RSI-7066 | 5.67 | 4.6-6 | RSI-7092 | 9.84 |
| 1.5-6 | RSI-7067 | 5.91 | 4.6-6 | RSI-7093 | 10.65 |
| 2.5-3 | RSI-7068 | 4.98 | 4.6-8 | RSI-7090 | 8.80 |
| 2.5-3.5 | RSI-7069 | 4.98 | 4.6-8 | RSI-7094 | 10.65 |
| 2.5-3.5 | RSI-7070 | 5.67 | 4.6-8 | RSI-7096 | 12.86 |
| 2.5-4 | RSI-7071 | 4.87 | 4.6-10 | RSI-7099 | 12.16 |
| 2.5-5 | RSI-7072 | 4.87 | 4.6-12 | RSI-7100 | 12.16 |

## FORK TERMINALNON-INSULATED

| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|---|---|---|
| 1-3 | RS-7249SPL | 2.90 | 2.5-5 | RS-7280 | 8.34 |
| 1.5-3.5 | RS-7249 | 2.90 | 4.6-3 | RS-7252 | 5.10 |
| 2.5-3.5 | RS-7251 | 3.13 | 4.6-3.5 | RS-7253 | 5.10 |

## FORK TERMINALINSULATED

| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|---|---|---|
| 1-3 | RSI-7926SPL | 3.48 | 2.5-5 | RSI-7929 | 9.50 |
| 1.5-3.5 | RSI-7926 | 3.48 | 4.6-3 | RSI-7930 | 6.83 |
| 2.5-3.5 | RSI-7928 | 4.06 | 4.6-3.5 | RSI-7931 | 6.83 |

## FORK TERMINALS PRE INSULATED

| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|---|---|---|
| 1.5-3.5 | PSD-7935 | 4.75 | 4.6-3 | PSD-7939 | 8.46 |
| 2.5-3.5 | PSD-7937 | 5.10 | 4.6-3.5 | PSD-7940 | 8.46 |
| 2.5-5 | PSD-7938 | 12.16 | | | |

## RING TERMINALS DOUBLE GRIP (PRE-INSULATED)

| $mm^2$-E | CAT. NO. | PRICE (₹) | $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|---|---|---|
| 1.5-3 | PSD-7437 | 5.10 | 4.6-5 | PSD-7469 | 10.54 |
| 1.5-3.5 | PSD-7438 | 5.10 | 4.6-6 | PSD-7472 | 9.61 |
| 1.5-4 | PSD-7439 | 5.10 | 4.6-8 | PSD-7473 | 10.42 |
| 1.5-3.5 | PSD-7441 | 5.10 | 4.6-6 | PSD-7475 | 11.46 |
| 1.5-4 | PSD-7442 | 5.10 | 4.6-6 | PSD-7476 | 12.86 |
| 1.5-4 | PSD-7444 | 4.98 | 4.6-8 | PSD-7477 | 12.86 |
| 1.5-5 | PSD-7445 | 4.98 | 4.6-8 | PSD-7479 | 14.13 |
| 1.5-4 | PSD-7446 | 5.79 | 4.6-8 | PSD-7482 | 15.28 |
| 1.5-5 | PSD-7448 | 6.14 | 4.6-12 | PSD-7483 | 14.13 |
| 1.5-6 | PSD-7449 | 6.14 | | | |
| 1.5-6 | PSD-7450 | 6.37 | | | |
| 2.5-3 | PSD-7451 | 6.14 | | | |
| 2.5-3.5 | PSD-7452 | 6.14 | | | |
| 2.5-3.5 | PSD-7453 | 6.25 | | | |
| 2.5-4 | PSD-7454 | 5.33 | | | |
| 2.5-5 | PSD-7455 | 5.33 | | | |
| 2.5-5 | PSD-7456 | 5.33 | | | |
| 2.5-6 | PSD-7457 | 5.33 | | | |
| 2.5-5 | PSD-7458 | 7.42 | | | |
| 2.5-6 | PSD-7459 | 6.83 | | | |
| 2.5-8 | PSD-7460 | 7.42 | | | |
| 2.5-8 | PSD-7462 | 8.80 | | | |
| 2.5-10 | PSD-7464 | 9.84 | | | |
| 4.6-4 | PSD-7466 | 9.27 | | | |
| 4.6-5 | PSD-7467 | 9.27 | | | |

## SNAPON TERMINALS

| $mm^2$-E | CAT. NO. | PRICE (₹) |
|---|---|---|
| 1.5 | SNP-8351 | 4.29 |
| 1.5 | SND-8352 | 6.02 |
| 2.5 | SNP-8347 | 4.40 |
| 2.5 | SND-8348 | 6.48 |
| 4 | SND-8476 | 11.23 |
| 1.5 | SND-8359 | 7.88 |
| 1.5 | SND-8362 | 7.88 |
| 1.5 | SNP-8336 | 4.29 |
| 1.5 | SNP-8356 | 4.29 |
| 1.5 | SNP-8358 | 4.98 |

| END SEALING FERRULES INSULATED | | |
|---|---|---|
| $mm^2$-L | CAT. NO. | PRICE (₹) |
| 0.5-8 | EHI-508 | 1.28 |
| 0.75-8 | EHI-509 | 1.28 |
| 1-6 | EHI-510 | 1.51 |
| 1-10 | EHI-511 | 1.51 |
| 1.5-10 | EHI-513 | 1.74 |
| 2.5-8 | EHI-514 | 1.74 |
| 2.5-12 | EHI-515 | 1.97 |
| 4.-12 | EHI-517 | 2.56 |
| 6-12 | EHI-519 | 3.02 |
| 10-12 | EHI-521 | 3.60 |
| 16-15 | EHI-525 | 6.14 |

| COPPER TWIN TYPE LUGS | | | | |
|---|---|---|---|---|
| $mm^2$-E | LENGTH mm | CAT. NO. | COLOUR NATURAL | PRICE (₹) |
| 0.5-8 | 8 | TW-0.5-8 | WHITE | 3.02 |
| 0.5-10 | 10 | TW-0.5-10 | WHITE | 3.13 |
| 0.75-8 | 8 | TW-0.75-8 | GREY | 3.02 |
| 0.75-10 | 10 | TW-0.75-10 | GREY | 3.02 |
| 1-8 | 8 | TW-1-8 | RED | 3.13 |
| 1-10 | 10 | TW-1-10 | RED | 3.13 |
| 1.5-8 | 8 | TW-1.5-8 | BLACK | 3.13 |
| 1.5-10 | 10 | TW-1.5-10 | BLACK | 3.13 |
| 2.5-8 | 8 | TW-2.5-8 | BLUE | 3.36 |
| 2.5-10 | 10 | TW-2.5-10 | BLUE | 3.71 |
| 4-12 | 12 | TW-4-12 | GREY | 4.29 |
| 6-12 | 12 | TW-6-12 | YELLOW | 4.29 |



## CABLE GLANDS

| DOUBLE COMPRESSION ARMOURED WEATHER AND FLAME PROOF BRASS CABLE GLANDS | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | WEATHER PROOF | | | FLAME PROOF | | |
| SUITABLE OVER ALL DIAMETER | NIPPLE ET THREAD | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG | DOWELLS CA T. NO. | PRICE (₹) | BOX PKG |
| 6.0-12.0 | 3/4" | DBW-01SS | 280.16 | 56 | DBF-01SS | 361.18 | 50 |
| 12.0-16.5 | 3/4" | DBW-01S | 321.83 | 50 | DBF-01S | 388.97 | 40 |
| 16.5-18.5 | 3/4" | DBW-01 | 360.03 | 36 | DBF-01 | 429.49 | 24 |
| 16.5-18.5 | 1" | DBW-01A | 412.12 | 30 | DBF-01A | 486.21 | 30 |
| 18.5-20.0 | 1" | DBW-02 | 460.74 | 20 | DBF-02 | 563.77 | 20 |
| 18.5-20.0 | 3/4" | DBW-02A | 475.79 | 20 | DBF-02A | 593.86 | 20 |
| 20.0-23.0 | 1" | DBW-03 | 488.53 | 20 | DBF-03 | 637.86 | 20 |
| 23.0-26.0 | 1" | DBW-04 | 637.86 | 12 | DBF-04 | 810.34 | 12 |
| 23.0-26.0 | 1.1/4" | DBW-04A | 717.73 | 12 | DBF-04A | 905.27 | 12 |
| 26.0-30.0 | 1.1/4" | DBW-05 | 798.77 | 12 | DBF-05 | 941.15 | 12 |
| 26.0-30.0 | 1.1/2" | DBW-05A | 956.21 | 12 | DBF-05A | 1,091.65 | 12 |
| 30.0-33.0 | 1.1/2" | DBW-06 | 1,148.37 | 10 | DBF-06 | 1,346.33 | 8 |
| 30.0-33.0 | 1.1/4" | DBW-06A | 1,187.73 | 8 | DBF-06A | 1,407.68 | 8 |
| 33.0-37.0 | 1.1/2" | DBW-07 | 1,341.69 | 6 | DBF-07 | 1,514.18 | 6 |
| 37.0-41.0 | 2" | DBW-08 | 1,721.40 | 6 | DBF-08 | 1,876.51 | 6 |
| 41.0-46.0 | 2" | DBW-09 | 1,899.66 | 5 | DBF-09 | 2,169.40 | 5 |
| 46.0-52.0 | 2" | DBW-10 | 2,084.88 | 4 | DBF-10 | 2,441.43 | 4 |
| 46.0-52.0 | 2.1/2" | DBW-10A | 2,545.62 | 3 | DBF-010A | 2,773.67 | 3 |
| 52.0-54.0 | 2.1/2" | DBW-011A | 3,094.33 | 2 | DBF-011A | 3,721.77 | 2 |
| 54.0-61.0 | 2.1/2" | DBW-011 | 3,102.44 | 2 | DBF-011 | 3,409.21 | 2 |
| 61.0-66.0 | 3" | DBW-012 | 3,788.91 | 2 | DBF-012 | 4,115.36 | 2 |
| 66.0-72.0 | 3" | DBW-013A | 4,746.27 | 1 | DBF-013A | 5,777.71 | 1 |
| 72.0-78.0 | 3.1/4" | DBW-013 | 5,357.49 | 1 | DBF-013 | 6,486.18 | 1 |
| 78.0-84.0 | 3.1/2" | DBW-014 | 6,428.29 | 1 | DBF-014 | 6,886.71 | 1 |
| 84.0-94.0 | 4" | DBW-015 | 8,609.26 | 1 | DBF-015 | 9,370.98 | 1 |
| 94.0-104.0 | 4.1/2" | DBW-016 | 11,094.68 | 1 | DBF-016 | 12,052.04 | 1 |

| DC TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS | | | | | |
|---|---|---|---|---|---|
| SUIT ABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRODUCT CODE | NIPPLE (inch) | PRICE (₹) | INNER P ACKING (NOS.) |
| 07.0-14.0 | DC-3/8" | DGP10036 | 5/8" | 217.64 | 64 |
| 14.1-15.5 | DC-1/2" | DGP10037 | 5/8" | 260.47 | 50 |
| 15.6-17.0 | DC-5/8" | DGP10038 | 3/4" | 266.26 | 46 |
| 17.1-18.5 | DC-3/4" | DGP10039 | 3/4" | 307.94 | 28 |
| 18.6-19.5 | DC-7/8" | DGP10040 | 3/4" | 371.60 | 24 |
| 19.6-22.5 | DC-1" | DGP10041 | 1" | 413.27 | 20 |
| 22.6-25.5 | DC-1.1/8" | DGP10042 | 1.1/8" | 527.88 | 15 |
| 25.6-31.5 | DC-1.1/4" | DGP10043 | 1.1/4" | 695.73 | 12 |
| 31.6-34.5 | DC-1.3/8" | DGP10044 | 1.1/2" | 831.18 | 12 |
| 34.6-36.5 | DC-1.1/2" | DGP10045 | 1.1/2" | 1,541.96 | 8 |
| 36.6-44.5 | DC-1.3/4" | DGP10046 | 2" | 978.20 | 5 |
| 44.6-49.5 | DC-2" | DGP10047 | 2" | 1,345.17 | 5 |
| 49.6-54.5 | DC-2.1/4" | DGP10048 | 2.1/4" | 1,800.11 | 4 |
| 54.6-63.5 | DC-2.1/2" | DGP10049 | 2.1/2" | 2,475.01 | 2 |
| 63.6-69.5 | DC-2.3/4" | DGP10050 | 2.3/4" | 2,794.52 | 2 |
| 69.6-74.5 | DC-3" | DGP10051 | 3" | 3,440.47 | 2 |
| 74.6-81.0 | DC-3.1/4" | DGP10052 | 3.1/4" | 3,984.56 | 1 |
| 81.1-86.0 | DC-3.1/2" | DGP10053 | 3.1/2" | 5,197.75 | 1 |
| 86.1-100.0 | DC-4" | DGP10054 | 4" | 7,060.36 | 1 |

| DOUBLE COMPRESSION UN-ARMOURED BRASS CABLE GLANDS | | | | |
|---|---|---|---|---|
| SR. NO. | SUIT ABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG |
| 1 | 6.0-12.5 | DBW-01SS(UN) | 297.51 | 50 |
| 2 | 12.6-14.0 | DBW-01S(UN) | 325.29 | 50 |
| 3 | 14.1-17.0 | DBW-01A(UN) | 394.75 | 30 |
| 4 | 17.1-19.0 | DBW-02(UN) | 502.42 | 20 |
| 5 | 19.1-22.0 | DBW-03SP(UN) | 535.99 | 20 |
| 6 | 22.1-25.0 | DBW-04A(UN) | 760.56 | 12 |
| 7 | 25.1-29.0 | DBW-05A(UN) | 833.49 | 12 |
| 8 | 29.1-32.0 | DBW-06SP(UN) | 1,165.74 | 10 |
| 9 | 32.1-35.0 | DBW-07SP(UN) | 1,341.69 | 6 |
| 10 | 35.1-40.0 | DBW-08(UN) | 1,684.35 | 6 |
| 11 | 40.1-43.0 | DBW-09(UN) | 1,994.60 | 5 |
| 12 | 43.1-51.0 | DBW-010A(UN) | 2,457.65 | 3 |
| 13 | 51.1-59.0 | DBW-011SP(UN) | 3,248.31 | 2 |
| 14 | 59.1-65.0 | DBW-012(UN) | 3,815.54 | 2 |
| 15 | 65.1-71.0 | DBW-013(UN) | 4,838.88 | 1 |
| 16 | 71.1-79.0 | DBW-014(UN) | 5,900.42 | 1 |
| 17 | 79.1-89.0 | DBW-015(UN) | 8,852.37 | 1 |

## SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS

| SINGLE COMPRESSION GLANDS | | | | | SIBG SERIES | | |
|---|---|---|---|---|---|---|---|
| DOWELLS CAT. NO. | | PRODUCT CODE | PRICE (₹ ) | BOX PKG. | DOWELLS CAT. NO. | PRICE (₹ ) | BOX PKG. |
| INCH | MM | | | | | | |
| 3/8" | 10 | DGP10001 | 82.55 | 64 | 1616 | 145.87 | 70 |
| 1/2" | 12 | DGP10002 | 82.55 | 128 | 1619 | 150.50 | 50 |
| 5/8" | 16 | DGP10003 | 82.55 | 135 | 2119 | 241.95 | 40 |
| 3/4" | 19 | DGP10004 | 91.81 | 105 | 2125 | 219.96 | 40 |
| 7/8" | 22 | DGP10005 | 113.33 | 84 | 2925 | 294.05 | 24 |
| 1" | 25 | DGP10006 | 164.39 | 60 | 2932 | 323.03 | 20 |
| 1.1/8" | 28 | DGP10007 | 203.75 | 30 | 2938 | 350.77 | 20 |
| 1.1/4" | 32 | DGP10008 | 274.36 | 24 | 3638 | 505.88 | 10 |
| 1.3/8" | 35 | DGP10009 | 341.51 | 24 | 4251 | 880.95 | 5 |
| 1.1/2" | 38 | DGP10010 | 402.86 | 16 | 5451 | 1,003.67 | 4 |
| 1.3/4" | 45 | DGP10011 | 488.53 | 12 | 5463 | 1,044.19 | 4 |
| 2" | 50 | DGP10012 | 597.34 | 10 | 6063 | 1,531.55 | 4 |
| 2.1/4" | 57 | DGP10013 | 767.51 | 6 | 6675 | 1,855.68 | 3 |
| 2.1/2" | 63 | DGP10014 | 886.75 | 5 | 7882 | 2,677.59 | 3 |
| 2.3/4" | 70 | DGP10015 | 1,302.33 | 5 | | | |
| 3" | 75 | DGP10016 | 1,531.55 | 4 | | | |
| 3.1/4" | 82 | DGP10017 | 1,627.63 | 3 | | | |
| 3.1/2" | 88 | DGP10018 | 2,146.25 | 3 | | | |
| 4" | 100 | DGP10019 | 2,546.78 | 3 | | | |
| 4.1/2" | 112 | DGP10020 | 4,055.17 | 2 | | | |

### BRASS PG GLAND

| SUIT ABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRICE (₹) |
|---|---|---|
| 2-5 | MPG-7 | 91.62 |
| 3-8 | MPG-9 | 119.07 |
| 4-10 | MPG-11 | 146.63 |
| 5-12 | MPG-13.5 | 191.84 |
| 8-14 | MPG-16 | 201.76 |
| 12-17 | MPG-21 | 336.26 |
| 16-25 | MPG-29 | 678.04 |
| 20-32 | MPG-36 | 747.50 |
| 28-37 | MPG-42 | 1,476.25 |
| 32-40 | MPG-48 | 1,550.12 |

### NYLON PG GLAND

| SUIT ABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRICE (₹) |
|---|---|---|
| 3.5-6 | PG-7 | 23.15 |
| 4-8 | PG-9 | 28.67 |
| 5-10 | PG-11 | 38.59 |
| 6-12 | PG-13.5 | 48.51 |
| 10-14 | PG-16 | 57.33 |
| 13-18 | PG-21 | 76.07 |
| 18-25 | PG-29 | 119.07 |
| 22-32 | PG-36 | 189.63 |
| 30-38 | PG-42 | 238.14 |
| 34-44 | PG-48 | 285.55 |

### FLANGE TYPE CABLE GLANDS

| SUIT ABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRODUCT CODE | PRICE (₹) |
|---|---|---|---|
| 12.0-16.0 | DOWELLS-5 | DGP10021 | 151.66 |
| 16.1-18.0 | DOWELLS-4 | DGP10022 | 193.33 |
| 18.1-21.0 | DOWELLS-3 | DGP10023 | 208.38 |
| 21.1-25.0 | DOWELLS-2 | DGP10024 | 258.16 |
| 25.1-29.0 | DOWELLS-1 | DGP10025 | 299.83 |
| 29.1-33.0 | DOWELLS-1 | DGP10026 | 373.92 |
| 33.1-35.0 | DOWELLS-0 | DGP10027 | 463.05 |
| 35.1-38.0 | DOWELLS-00 | DGP10028 | 527.88 |
| 38.1-41.0 | DOWELLS-38 | DGP10029 | 524.41 |
| 41.1-45.0 | DOWELLS-001 | DGP10030 | 666.80 |
| 45.1-52.0 | DOWELLS-002 | DGP10031 | 761.73 |
| 52.1-59.0 | DOWELLS-003 | DGP10032 | 825.39 |
| 59.1-67.0 | DOWELLS-0033 | DGP10033 | 999.04 |
| 67.1-76.0 | DOWELLS-004 | DGP10034 | 1,332.43 |

| | EARTH TAG | | LSF/LSZH SHROUD | |
|---|---|---|---|---|
| FOR GLAND SIZE | DOWELL'S CAT. NO. | PRICE (₹) | SHROUD SIZE/CODE | PRICE (₹) |
| DBW -01SS/DBF-01SS | DET-20 | 57.55 | 2023 | 35.28 |
| DBW -01S/DBF-01S | DET-20 | 57.55 | 2026 | 44.10 |
| DBW -01/DBF-01 | DET-20 | 57.55 | 2030 | 45.20 |
| DBW -01A/DBF-01A | DET-25 | 59.87 | 2030A | 45.20 |
| DBW -02/DBF-02 | DET-25 | 59.87 | 2533 | 55.13 |
| DBW -02A/DBF-02A | DET-20 | 57.55 | 2533A | 55.13 |
| DBW -03/DBF-03 | DET-25 | 59.87 | 2535 | 55.13 |
| DBW -04/DBF-04 | DET-25 | 59.87 | 4000 | 111.35 |
| DBW -04A/DBF-04A | DET-32 | 104.74 | 4000A | 111.35 |
| DBW -05/DBF-05 | DET-32 | 104.74 | 3246 | 95.92 |
| DBW -05A/DBF-05A | DET-40 | 115.76 | 3246A | 95.92 |
| DBW -06/DBF-06 | DET-40 | 115.76 | 3251 | 93.71 |
| DBW -06A/DBF-06A | DET-32 | 104.74 | 3251A | 93.71 |
| DBW -07/DBF-07 | DET-40 | 115.76 | 4053 | 111.35 |
| DBW -08/DBF-08 | DET-50 | 155.45 | 5063 | 165.38 |
| DBW -09/DBF-09 | DET-50 | 155.45 | 5068 | 180.81 |
| DBW -010/DBF-010 | DET-50 | 155.45 | 6371 | 282.24 |
| DBW -010A/DBF-010A | DET-63 | 197.35 | 6371A | 282.24 |
| DBW -011A/DBF-011A | DET-63 | 197.35 | 6388A | 313.11 |
| DBW -011/DBF-011 | DET-63 | 197.35 | 6388 | 313.11 |
| DBW -012/DBF-012 | DET-75 | 274.52 | 7595 | 323.03 |
| DBW -013A/DBF-013A | DET-75 | 274.52 | 7595A | 323.03 |
| DBW -013/DBF-013 | DET-82 | 296.57 | 7595B | 323.03 |
| DBW -014/DBF-014 | DET-90 | 330.75 | | |
| DBW -015/DBF-015 | DET-100 | 463.05 | | |
| DBW -016/DBF-016 | DET-110 | | | |




FIG 1 Terminating the armouring of an swa cable to metallic enclosures

## TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity

| HAND OPERATED CRIMPING TOOLS | | | | | |
|---|---|---|---|---|---|
| $mm^2$ Range | CAT. NO. | PRICE (₹) | $mm^2$ Range | CAT. NO. | PRICE (₹) |
| 1.5-6 | SYT-17 | 1,126.65 | 6-50 | SYT-9 | 3,165.75 |
| 0.5-16 | SYT-2 | 1,432.20 | 16-50 | SYT-50 | 4,392.15 |
| 0.75 | SYG-2622 | 2,058.37 | 25-400 | SYT-7 | 20,647.20 |
| 1.5 | SYG-2216 | 2,058.37 | 10-35 | SYT-53M | 3,073.35 |
| 2.5 | SYH-1614 | 2,058.37 | 0.25-6 | SYT-6-6 | 4,482.45 |
| 4-6 | SYI-1210/SYO-1210 | 3,499.34 | 120 | SYT-120 | 2,464.09 |
| 10-95 | SYB-95 | 9,215.85 | 240 | SYT-240 | 3,714.33 |
| 10-185 | SYB-9502 | 12,770.10 | 500 | SYT-500 | 6,368.04 |
| 1.5-10 | SYA-427 | 1,231.65 | 0.5-6 | SYT-52M | 2,259.60 |
| 10-185 | SYT-185 | 8,958.60 | 1.5-4.6 | SYT-1546 | 2,259.60 |
| 25-400 | SYT-400 | 16,176.30 | 10-185 | SYB-9502H | 14,071.21 |
| 16-300 | SYM-300 | 20,507.61 | 240 | SYXL-240 | 8,758.26 |

| HYDRAULIC CRIMPING TOOLS | | | | | |
|---|---|---|---|---|---|
| $mm^2$ Range | CAT. NO. | PRICE (₹) | $mm^2$ Range | CAT. NO. | PRICE (₹) |
| 10-300 | SYD-20A | 33,791.10 | 10-1000 | SYE-150B | 60,602.85 |
| 50-400 | SYD-20B | 41,503.35 | 10-1000 | SYE-150C | 53,489.10 |
| 10-300 | SYD-20C | 43,095.15 | 16-300 | SYT-106 | 12,081.30 |
| 10-1000 | SYE-150A | 54,909.75 | 50-630 | SYT-102R | 54,428.22 |
| 10-120 | SYT-107 | 13,343.56 | 50-400 | SYT-109 | 74,926.95 |

| SPECS. | DOWELL'S CAT. NO. | PRICE (₹ ) |
|---|---|---|
| Hand Operated Hydraullic Pump (Max. Pressure 10000 P.S.I.) | R-T1242 | 10,797.89 |
| Jack Hose Pipe Standard 2 meters | R-T1349 | 3,084.80 |
| Electrically Operated Power Pack Capacity = Max. pressure 700 Bar Special features: Electrically Operated Pump Electric Motor: 2HP SYT - 117 Tank Capacity: 25 Ltr. Oil: Hydraullic Oil no. 68 | | 219,180.31 |

| CORROSION INHIBITING COMPOUND |
|---|
| |
| GTZ - 8785 Rs. 69.46/- |

| mm² Range | DOWELL'S CAT. NO. | PRICE (₹) |
|---|---|---|
| UPTO 300 | JACK FOR SYD-20A (SPD-2034) | 28,779.66 |
| UPTO 400 | JACK FOR SYD-20B (SPD-2036)(PORTABLE JACK) | 26,995.82 |
| UPTO 630 | JACK FOR SYT-102R (HY-282)(portable jack) | 30,209.61 |
| UPTO 1000 | JACK FOR SYE-150A (SPE-1709) | 34,195.14 |
| UPTO 1000 | JACK FOR SYE-150B (SPE-1713)(PORTABLE JACK) | 48,592.69 |

| SPECS. | DOWELL'S CAT. NO. | PRODUCT CODE | PRICE (₹) |
|---|---|---|---|
| CRIMPING JIGS FOR SYD-20B TOOL | JDA-50, JDA-70, JDA-95, JDA-120, JDA-150, JDA-240, JDA-300, JDA-400 | W-TSA1080, W-TSA1081, W-TSA1082, W-TSA1083, W-TSA1084, W-TSA1085, W-TSA1086, W-TSA1087, W-TSA1088 | Rs. 1,743.06/- (each) |
| CRIMPING JIGS FOR SYE-150A TOOL | JER-11, JER-12, JER-13, JER-14 | W-TSA1125, W-TSA1126, W-TSA1127, W-TSA1128 | Rs. 2,397.94/- (each) |
| | JER-15, JER-16, JER-17, JER-18 | W-TSA1129, W-TSA1130, W-TSA1131, W-TSA1132 | Rs. 2,615.13/- (each) |
| CRIMPING JIGS FOR SYE-150 B TOOL | JEA-10, JEA-16, JEA-25, JEA-35 | W-TSA1063, W-TSA1064, W-TSA1065, W-TSA1066 | Rs. 2,070.50/- (each) |
| | JEA-50, JEA-70, JEA-95, JEA-120, JEA-150 | W-TSA1067, W-TSA1068, W-TSA1069, W-TSA1070, W-TSA1071 | Rs. 2,941.47/- (each) |
| | JEA-185, JEA-140, JEA-300, JEA-400 | W-TSA1072, W-TSA1073, W-TSA1074, W-TSA1075 | Rs. 4,118.94/- (each) |
| | JEA-500, JEA-600, JEA-800, JEA-1000 | W-TSA1076, W-TSA1077, W-TSA1078, W-TSA1079 | Rs. 5,577.55/- (each) |
| JIG FOR SYB-95/9502 RING DIES | JBR-1, JBR-2, JBR-3, JBR-4, JBR-5, JBR-6, JBR-7, JBR-9, JBR-10, JBR-11 | W-TSA1024, W-TSA1025, W-TSA1026, W-TSA1027, W-TSA1037, W-TSA1028, W-TSA1029, W-TSA1030, W-TSA1031, W-TSA1032 | Rs. 379.26 /- (each) |
| JIG FOR SYB-95/9502 PUNCH TYPE RING DIES | JBR-12, JBR-13 | W-TSA1033, W-TSA1043 | Rs. 464.16 /- (each) |
| CRIMPING JIG FOR SYT-185 (PLIERTYPE) | R-1, R-2, R-3, R-4, R-5, R-6, R-7, R-9, R-10, R-11, R-12, R-13 | W-TSA1034, W-TSA1035, W-TSA1145, W-TSA1036, W-TSA1146, W-TSA1147, W-TSA1038, W-TSA1039, W-TSA1040, W-TSA1041, W-TSA1042, W-TSA1148 | Rs. 456.44 /- (each) |
| CRIMPING JIG FOR SYT-7 (Hex profile) (Mechanical gear power) | JRH-25, JRH-35, JRH-50, JRH-70, JRH-95, JRH-120, JRH-150, JRH-185, JRH-240, JRH-300, JRH-400 | W-TSA1150, W-TSA1151, W-TSA1152, W-TSA1153, W-TSA1154, W-TSA1155, W-TSA1156, W-TSA1157, W-TSA1158, W-TSA1159, W-TSA1160 | Rs. 1,197.32/- (each) |
| JIG FOR SYT-102R (Hex profile) (Foot operated hydraullic crimping tool) | HY-267 (50 mm²), HY-268 (70 mm²), HY-269 (95 mm²), HY-270 (120 mm²), HY-271 (150 mm²), HY-272 (185 mm²), HY-273 (240 mm²), HY-274 (300 mm²), HY-275 (400 mm²), HY-279 (500 mm²), HY-280 (630 mm²) | W-TSA1114, W-TSA1115, W-TSA1116, W-TSA1117, W-TSA1118, W-TSA1119, W-TSA1120, W-TSA1121, W-TSA1122 | Rs. 2,252.41/- (each) |
| JIG FOR SYT-400 Hex Profile (plier type) | J-25, J-35, J-50, J-70, J-95, J-120, J-150, J-185, J-240, J-300, J-400 | W-TSA1044, W-TSA1045, W-TSA1046, W-TSA1047, W-TSA1048, W-TSA1049, W-TSA1050, W-TSA1051, W-TSA1052, W-TSA1053, W-TSA1054 | Rs. 895.23/- (each) |
| CRIMPING JIGS FOR SYD-20A TOOL | JDR-11, JDR-12, JDR-13, JDR-14, JDR-15 | W-TSA1161, W-TSA1162, W-TSA1163, W-TSA1164, W-TSA1 165 | Rs. 1,525.86/- (each) |
| CRIMPING JIGS FOR SYD-20A TOOL | JDR-16 | W-TSA1166 | Rs. 2,614.03/- (each) |

dowell's®

AN ISO 9001:2015 CERTIFIED CO.

POLYCAB

IDEAS. CONNECTED.

**Manufactured By:**
**Dowells Cable Accessories Pvt. Ltd.**
(Subsidiary company of POLYCAB INDIA LIMITED)
Unit-7, Plot No. 74/P, 74/1/P, 74/2/1, 74/2/2,80, Village:Vaseti,
Taluka : Halol, Dist.: Panchmahals, Gujarat 389352, India.

**Corporate & Head Office: POLYCAB INDIA LIMITED,**
The Ruby, 20th & 21st floor, Senapati Bapat Marg,Tulsi Pipe Road,
Dadar West, Mumbai – 400 028, Maharashtra, India.
Email: customercare@polycab.com | Toll Free No. : 1800 267 0008
Website: www.dowellscableaccesories.com

Authorised Dealer